PM1 Safety: Adopted Targets

Performance Measure	<u>Targets</u>	
Number of Fatalities	0	
Number of Serious Injuries	0	
Fatality Rate per 100M VMT	0	
Serious Injury Rate per 100M VMT	0	
Total Number of non-motorized fatalities and non-motorized serious injuries	0	



PM2 Bridge & Pavement Condition: Adopted Targets

Performance Measure	Targets	Current Data
Percent of NHS bridges by deck area in Good condition	50%	79.1%
Percent of NHS bridges by deck area in Poor condition	10%	0.0%
Percent of Interstate pavements in Good condition	60%	76.6%
Percent of Interstate pavements in Poor condition	5%	0.0%
Percent of non-Interstate NHS pavement in Good condition	40%	38.4%
Percent of non-Interstate NHS pavement in Poor condition	5%	0.4%



BrowardMPO.org

PM3 System Performance: Adopted Targets

Performance Measure	<u>Targets</u>	Current Data
Percent of person-miles traveled on the Interstate that are reliable	70%	67%
Percent of person-miles traveled on the non-Interstate NHS that are reliable	50%	80%
Truck Travel Time Reliability ratio (TTTR)	2.0	1.81



TAM: Adopted Regional Targets

Performance Measure	Asset Class/Type	<u>Useful Life Benchmark</u> <u>(ULB)</u>	Adopted Regional <u>Targets</u>
Rolling Stock— Percentage of Revenue Vehicles that have met or exceeded their Useful Life Benchmark (ULB)	Cutaway Bus (CU)	10 years	0%
	Paratransit Mini Van (MV)	8 years	0%
	40 Foot Bus (BU)	14 years	15%
	60 Foot Articulated Bus (AB)	14 years	0%
	45 Foot Bus (BR)	14 years	0%
	Commuter Rail Locomotive (RL)	39 years	0%
	Commuter Rail Passenger Coach (RP)	39 years	0%
	Commuter Rail self-propelled passenger car (RS)	39 years	0%
Equipment — Percentage of non- revenue, support-service and maintenance vehicles that have met or exceeded their (ULB)	All non-revenue vehicles	8 years	0%
	Other rubber tire vehicles	14 years	0%
Facilities — Percentage of facilities rated below Condition 3 on the FTA Transit Economic Requirements Model (TERM)	Passenger, maintenance, parking and administrative facilities	Condition Rating 3.0	30%
Infrastructure — Percentage of track segments with performance restrictions	Rail fixed guideway, track and signals	Performance Restrictions	8%