

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009								2035					
			Design Code	Daily Conditions				Peak Hour Conditions				Design Code	Daily Conditions			
				ADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
1	US 27	N of Dade C L	412	21300	64300	0.33	B	1984	6040	0.33	B	412	44035	64300	0.68	C
3	US 27	N of Miramar Pkwy	412	21300	64300	0.33	B	1984	6040	0.33	B	412	44035	64300	0.68	C
5	US 27	N of Pembroke Rd	412	19300	64300	0.30	B	1790	6040	0.30	B	412	53017	64300	0.82	D
7	US 27	N of Pines Blvd	412	20500	64300	0.32	B	1900	6040	0.31	B	412	42078	64300	0.65	C
9	US 27	N of Sheridan St	412	16800	64300	0.26	B	1560	6040	0.26	B	412	48447	64300	0.75	C
11	US 27	N of Stirling Rd	412	16600	64300	0.26	B	1540	6040	0.25	B	412	36035	64300	0.56	B
13	US 27	N of Griffin Rd	412	15000	64300	0.23	B	1390	6040	0.23	B	412	47366	64300	0.74	C
15	US 27	N of Saddle Club Rd	412	13200	64300	0.21	B	1230	6040	0.20	B	412	35476	64300	0.55	B
17	US 27	N of SR 84	412	11300	64300	0.18	B	1070	6040	0.18	B	412	53310	64300	0.83	D
1001	SW 196 Ave	N of Miramar Pkwy	264	4700	9880	0.48	C	440	962	0.46	C	474	769	29880	0.03	C
1003	SW 196 Ave	N of Pembroke Rd	264	4700	9880	0.48	C	440	962	0.46	C	474	2322	29880	0.08	C
1005	SW 196 Ave	N of Pines Blvd	464	4900	21580	0.23	C	460	2093	0.22	C	464	17155	21580	0.79	D
1025	SW 196 Ave	N of Taft St	264	4900	9880	0.50	C	460	962	0.48	C	264	17737	9880	1.80	F
1007	SW 196 Ave	N of Sheridan St	264	5200	9880	0.53	C	480	962	0.50	C	264	4436	9880	0.45	C
1009	SW 184 Ave	N of Bass Creek Rd	264	14900	9880	1.51	F	1380	962	1.43	F	264	7664	9880	0.78	D
19	SW 184 Ave	N of Miramar Pkwy	222	14900	15675	r 0.95	D	1380	1520	r 0.91	C	422	23706	34865	r 0.68	B
21	SW 184 Ave	N of Pembroke Rd	422	14900	34865	r 0.43	B	1380	3382	r 0.41	B	422	42330	34865	r 1.21	F
23	SW 184 Ave	N of Pines Blvd	422	11100	34865	r 0.32	B	1040	3382	r 0.31	B	422	20208	34865	r 0.58	B
25	SW 184 Ave	N of Johnson St	422	10700	34865	r 0.31	B	990	3382	r 0.29	B	422	20476	34865	r 0.59	B
27	SW 184 Ave	N of Sheridan St	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	17518	21580	0.81	D
29	SW 184 Ave	N of Stirling Rd	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	17596	21580	0.82	D
31	Bonaventure Blvd	N of Griffin Rd	422	14200	34865	r 0.41	B	1320	3382	r 0.39	B	422	29648	34865	r 0.85	C
33	Bonaventure Blvd	N of SW 36 St	422	12600	34865	r 0.36	B	1170	3382	r 0.35	B	422	26933	34865	r 0.77	B
35	Bonaventure Blvd	N of Arvida Pkwy	422	19300	34865	r 0.55	B	1790	3382	r 0.53	B	422	26511	34865	r 0.76	B
37	Bonaventure Blvd	N of Indian Trace	422	12700	34865	r 0.36	B	1180	3382	r 0.35	B	422	9703	34865	r 0.28	B
39	Bonaventure Blvd	N of Saddle Club Rd	422	9000	34865	r 0.26	B	840	3382	r 0.25	B	422	10196	34865	r 0.29	B
1127	SW 178 Ave	N of Miramar Pkwy	464	6700	21580	0.31	C	620	2093	0.30	C	464	17361	21580	0.80	D
1129	SW 178 Ave	N of Pembroke Rd	464	11900	21580	0.55	C	1110	2093	0.53	C	464	15857	21580	0.73	C
1131	SW 178 Ave/NW 17 St	N of Pines Blvd	464	3400	21580	0.16	C	320	2093	0.15	C	464	8335	21580	0.39	C
41	SW 172 Ave	N of Bass Creek Rd	474	9600	29880	0.32	C	890	2898	0.31	C	474	12986	29880	0.43	C
43	SW 172 Ave	N of Miramar Pkwy	474	12500	29880	0.42	C	1160	2898	0.40	C	474	10546	29880	0.35	C
45	SW 172 Ave	N of Pembroke Rd	474	13900	29880	0.47	C	1290	2898	0.44	C	474	10492	29880	0.35	C
47	SW 172 Ave	N of Pines Blvd	474	14700	29880	0.49	C	1370	2898	0.47	C	474	6720	29880	0.22	C

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				ADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
49	SW 172 Ave	N of Sheridan St	264	5400	9880	0.55	C	500	962	0.52	C	264	4005	9880	0.41	C
51	SW 172 Ave	N of Stirling Rd	264	3100	9880	0.31	C	290	962	0.30	C	264	2427	9880	0.25	C
53	SW 160 Ave	N of Bass Creek Rd	464	19000	21580	0.88	D	1770	2093	0.85	D	464	14747	21580	0.68	C
55	SW 160 Ave	N of Miramar Pkwy	422	23500	34865	r 0.67	B	2180	3382	r 0.64	B	422	20709	34865	r 0.59	B
57	SW 160 Ave	N of Pembroke Rd	422	19000	34865	r 0.54	B	1770	3382	r 0.52	B	422	25450	34865	r 0.73	B
59	SW 160 Ave	N of Pines Blvd	422	16200	34865	r 0.46	B	1500	3382	r 0.44	B	422	25112	34865	r 0.72	B
61	SW 160 Ave	N of Sheridan St	264	16300	9880	1.65	F	1510	962	1.57	F	264	16541	9880	1.67	F
63	SW 160 Ave	N of Stirling Rd	264	11500	9880	1.16	F	1070	962	1.11	F	264	11387	9880	1.15	F
65	Weston Rd	N of Griffin Rd	432	31500	33200	0.95	D	2930	3220	0.91	D	432	28776	33200	0.87	D
67	Weston Rd	N of SW 36 St	432	27000	33200	0.81	D	2510	3220	0.78	D	432	28056	33200	0.85	D
69	Weston Rd	N of Arvida Pkwy	432	25000	33200	0.75	C	2320	3220	0.72	C	432	26598	33200	0.80	D
71	Weston Rd	N of Indian Trace	432	21000	33200	0.63	C	1950	3220	0.61	C	432	32198	33200	0.97	D
73	Weston Rd	N of Saddle Club Rd	432	17900	33200	0.54	C	1660	3220	0.52	C	432	28129	33200	0.85	D
75	I-75	N of Dade C L	821	148600	146500	1.01	E	13790	13480	1.02	E	821	232733	146500	1.59	F
77	I-75	N of Miramar Pkwy	821	146500	146500	1.00	D	12450	13480	0.92	D	821	160997	146500	1.10	E
79	I-75	N of Pines Blvd	821	150500	146500	1.03	E	12790	13480	0.95	D	821	161623	146500	1.10	E
81	I-75	N of Sheridan St	821	126500	146500	0.86	D	10750	13480	0.80	C	821	154514	146500	1.05	E
83	I-75	N of Griffin Rd	821	140500	146500	0.96	D	11940	13480	0.89	D	821	193963	146500	1.32	F
85	I-75	N of Arvida Pkwy	1021	142000	184000	0.77	C	12070	16930	0.71	C	1021	196068	184000	1.07	E
87	I-75	W of Sawgrass Xway	621	48500	110300	0.44	B	4120	9060	0.45	B	621	87912	110300	0.80	C
89	I-75	W of Weston Rd	621	48500	110300	0.44	B	4120	9060	0.45	B	621	71844	110300	0.65	C
91	I-75	W of Bonaventure Blvd	621	48500	110300	0.44	B	4120	9060	0.45	B	621	71844	110300	0.65	C
93	I-75	W of Indian Trace	621	40000	110300	0.36	B	3400	9060	0.38	B	621	71466	110300	0.65	C
95	I-75	W of Arvida Pkwy	621	31500	110300	0.29	B	2680	9060	0.30	B	621	73840	110300	0.67	C
1029	I-75	W of US 27	421	20000	73600	0.27	B	2070	6770	0.31	B	421	35096	73600	0.48	B
97	Sawgrass Xway	N of SR 84	621	85700	110300	0.78	C	9460	9060	1.04	E	621	141892	110300	1.29	F
99	Sawgrass Xway	N of Sunrise Blvd	621	71500	110300	0.65	C	7890	9060	0.87	D	621	134957	110300	1.22	F
101	Sawgrass Xway	N of Oakland Pk Blvd	621	71600	110300	0.65	C	7900	9060	0.87	D	621	125418	110300	1.14	F
103	Sawgrass Xway	N of Commercial Blvd	621	64200	110300	0.58	B	7090	9060	0.78	C	621	121567	110300	1.10	E
105	Sawgrass Xway	N of Atlantic Blvd	621	55100	110300	0.50	B	6080	9060	0.67	C	621	108020	110300	0.98	D
107	Sawgrass Xway	N of Sample Rd	621	46200	110300	0.42	B	5100	9060	0.56	B	621	93005	110300	0.84	D
109	Sawgrass Xway	E of Coral Ridge Dr	621	54100	110300	0.49	B	5970	9060	0.66	C	621	94034	110300	0.85	D
111	Sawgrass Xway	E of University Dr	621	66400	110300	0.60	C	7330	9060	0.81	C	621	119272	110300	1.08	E

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009								2035					
			Design Code	Daily Conditions				Peak Hour Conditions				Design Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
113	Sawgrass Xway	E of SR 7	621	63200	110300	0.57	B	6980	9060	0.77	C	621	110617	110300	1.00	E
115	Sawgrass Xway	E of Lyons Rd	621	64900	110300	0.59	B	7160	9060	0.79	C	621	110516	110300	1.00	E
119	SW 148 Ave	N of Bass Creek Rd	264	17100	9880	1.73	F	1590	962	1.65	F	464	27645	21580	1.28	F
121	SW 148 Ave	N of Sheridan St	264	6200	9880	0.63	C	580	962	0.60	C	264	10544	9880	1.07	F
123	SW 148 Ave	N of Stirling Rd	264	7300	9880	0.74	D	680	962	0.71	D	264	11002	9880	1.11	F
1061	SW 148 Ave	N of SW 14 St	264	4800	9880	0.49	C	450	962	0.47	C	264	7234	9880	0.73	D
127	SW 145 Ave	N of Miramar Pkwy	464	13600	21580	0.63	C	1260	2093	0.60	C	464	10397	21580	0.48	C
131	NW 142 Ave	N of Pines Blvd	464	3900	21580	0.18	C	360	2093	0.17	C	464	6660	21580	0.31	C
139	NW 136 Ave	N of Pines Blvd	464	10200	21580	0.47	C	950	2093	0.45	C	464	7480	21580	0.35	C
143	SW 136 Ave	N of Stirling Rd	264	N/A	9880	N/A	N/A	N/A	962	N/A	N/A	264	2373	9880	0.24	C
1171	SW 136 Ave	N of E Palomino Dr	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	264	1951	9880	0.20	C
1031	SW 136 Ave	N of SW 14 St	264	10000	9880	1.01	E	930	962	0.97	D	264	10971	9880	1.11	F
149	SW 136 Ave	N of Wester High Dr	464	19100	21580	0.89	D	1770	2093	0.85	D	464	19282	21580	0.89	D
151	SW 136 Ave	N of SR 84	632	24500	50300	0.49	C	2280	4880	0.47	C	632	29276	50300	0.58	C
153	NW 136 Ave	N of NW 3 St	632	24500	50300	0.49	C	2280	4880	0.47	C	632	33265	50300	0.66	C
155	NW 136 Ave	N of Cleary Blvd	632	24000	50300	0.48	C	2230	4880	0.46	C	632	26332	50300	0.52	C
157	NW 136 Ave	N of Sunrise Blvd	632	17900	50300	0.36	C	1660	4880	0.34	C	632	23090	50300	0.46	C
1139	SW 130 Ave	N of SW 36 Ct	264	3900	9880	0.39	C	360	962	0.37	C	264	6586	9880	0.67	C
1141	SW 130 Ave	N of SW 14 St	264	5200	9880	0.53	C	480	962	0.50	C	264	6496	9880	0.66	C
1033	Flamingo Rd	N of Dade C L	474	26000	29880	0.87	D	2420	2898	0.83	D	474	32388	29880	1.08	F
161	Flamingo Rd	N of HEFT	474	23350	29880	0.78	D	2170	2898	0.75	C	474	29452	29880	0.99	D
163	Flamingo Rd	N of Miramar Pkwy	474	20700	29880	0.69	C	1920	2898	0.66	C	474	25724	29880	0.86	D
165	Flamingo Rd	N of Red Rd	622	50500	55300	0.91	C	4690	5360	0.87	C	622	46949	55300	0.85	C
167	Flamingo Rd	N of Pembroke Rd	622	50500	55300	0.91	C	4690	5360	0.87	C	622	67125	55300	1.21	F
169	Flamingo Rd	N of Pines Blvd	632	43000	50300	0.85	D	3990	4880	0.82	D	632	49713	50300	0.99	D
171	Flamingo Rd	N of Sheridan St	622	38500	55300	0.70	B	3580	5360	0.67	B	622	48067	55300	0.87	C
173	Flamingo Rd	N of Stirling Rd	622	39500	55300	0.71	B	3670	5360	0.68	B	622	51844	55300	0.94	C
175	Flamingo Rd	N of Griffin Rd	622	31000	55300	0.56	B	2880	5360	0.54	B	622	48582	55300	0.88	C
177	Flamingo Rd	N of SW 26 St	622	32000	55300	0.58	B	2970	5360	0.55	B	622	41600	55300	0.75	B
179	Flamingo Rd	N of SW 14 St	622	32000	55300	0.58	B	2970	5360	0.55	B	622	42811	55300	0.77	B
181	Flamingo Rd	N of SR 84	622	37500	55300	0.68	B	3480	5360	0.65	B	622	46452	55300	0.84	C
183	Flamingo Rd	N of Broward Blvd	622	33500	55300	0.61	B	3110	5360	0.58	B	622	41910	55300	0.76	B
185	Flamingo Rd	N of Cleary Blvd	622	29500	55300	0.53	B	2740	5360	0.51	B	622	39492	55300	0.71	B

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
187	Flamingo Rd	N of Sunrise Blvd	622	32500	55300	0.59	B	3020	5360	0.56	B	622	40660	55300	0.74	B
189	Red Rd	N of Dade C L	622	52000	55300	0.94	C	4830	5360	0.90	C	622	35949	55300	0.65	B
191	Red Rd	N of HEFT	622	54500	55300	0.99	D	5060	5360	0.94	C	622	55329	55300	1.00	F
193	Red Rd	N of Miramar Pkwy	622	43500	55300	0.79	B	4040	5360	0.75	B	622	36164	55300	0.65	B
195	NW 120 Way	N of Oakland Pk Blvd	264	4400	9880	0.45	C	410	962	0.43	C	264	7012	9880	0.71	D
1149	NW 115 Ter	N of NW 29 Mnr	264	5900	9880	0.60	C	550	962	0.57	C	264	9355	9880	0.95	D
1063	NW 115 Ter	N of Oakland Pk Blvd	264	5900	9880	0.60	C	550	962	0.57	C	264	9600	9880	0.97	D
199	Hiatus Rd	N of Red Rd	422	16100	34865 r	0.46	B	1500	3382 r	0.44	B	422	17448	34865 r	0.50	B
201	Hiatus Rd	N of Pembroke Rd	422	26000	34865 r	0.75	B	2420	3382 r	0.72	B	422	27416	34865 r	0.79	B
203	Hiatus Rd	N of Pines Blvd	432	21000	33200	0.63	C	1950	3220	0.61	C	432	28257	33200	0.85	D
205	Hiatus Rd	N of Sheridan St	274	10500	13680	0.77	D	980	1332	0.73	D	422	27264	36700	0.74	B
209	Hiatus Rd	N of Orange Dr	264	6600	9880	0.67	C	610	962	0.63	C	264	9414	9880	0.95	D
211	Hiatus Rd	N of SW 26 St	274	10300	13680	0.75	D	955	1332	0.72	D	274	15001	13680	1.10	F
213	Hiatus Rd	N of SW 14 St	274	14000	13680	1.02	E	1300	1332	0.98	D	274	19552	13680	1.43	F
215	Hiatus Rd	N of SR 84	622	19200	52535 r	0.37	B	1780	5092 r	0.35	B	622	30721	52535 r	0.58	B
217	Hiatus Rd	N of Broward Blvd	422	12500	34865 r	0.36	B	1160	3382 r	0.34	B	422	27339	34865 r	0.78	B
219	Hiatus Rd	N of Cleary Blvd	422	12500	34865 r	0.36	B	1160	3382 r	0.34	B	422	37370	34865 r	1.07	F
221	Hiatus Rd	N of Sunrise Blvd	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	422	39053	34865 r	1.12	F
223	Hiatus Rd	N of Oakland Pk Blvd	422	15700	34865 r	0.45	B	1460	3382 r	0.43	B	422	32229	34865 r	0.92	C
225	Hiatus Rd	N of NW 44 St	422	13000	34865 r	0.37	B	1210	3382 r	0.36	B	422	29162	34865 r	0.84	C
227	Hiatus Rd	N of Commercial	422	13000	34865 r	0.37	B	1210	3382 r	0.36	B	422	25075	34865 r	0.72	B
229	Palm Ave	N of Dade C L	222	17500	15675 r	1.12	F	1630	1520 r	1.07	F	222	22323	15675 r	1.42	F
231	Palm Ave	N of Miramar Pkwy	422	25000	34865 r	0.72	B	2320	3382 r	0.69	B	422	34727	34865 r	1.00	D
233	Palm Ave	N of Pembroke Rd	422	27000	34865 r	0.77	B	2510	3382 r	0.74	B	422	34603	34865 r	0.99	D
235	Palm Ave	N of Pines Blvd	432	26000	33200	0.78	D	2420	3220	0.75	C	432	32320	33200	0.97	D
237	Palm Ave	N of Sheridan St	422	16500	34865 r	0.47	B	1530	3382 r	0.45	B	422	20298	34865 r	0.58	B
239	SW 100 Ave	N of Stirling Rd	222	17500	15675 r	1.12	F	1630	1520 r	1.07	F	422	35814	34865 r	1.03	F
241	Nob Hill Rd	N of Griffin Rd	422	17900	34865 r	0.51	B	1660	3382 r	0.49	B	422	35676	34865 r	1.02	F
243	Nob Hill Rd	N of SR 84	432	33000	33200	0.99	D	3070	3220	0.95	D	432	39903	33200	1.20	F
245	Nob Hill Rd	N of Broward Blvd	432	25000	33200	0.75	C	2320	3220	0.72	C	432	32696	33200	0.98	D
247	Nob Hill Rd	N of Cleary Blvd	432	24500	33200	0.74	C	2280	3220	0.71	C	432	29128	33200	0.88	D
249	Nob Hill Rd	N of Sunrise Blvd	432	32000	33200	0.96	D	2970	3220	0.92	D	432	31174	33200	0.94	D
251	Nob Hill Rd	N of Oakland Pk Blvd	422	27500	34865 r	0.79	B	2550	3382 r	0.75	B	422	33182	34865 r	0.95	C

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
253	Nob Hill Rd	N of NW 44 St	422	26000	34865 r	0.75	B	2420	3382 r	0.72	B	422	30239	34865 r	0.87	C
255	Nob Hill Rd	N of Commercial Blvd	422	23500	34865 r	0.67	B	2180	3382 r	0.64	B	422	33094	34865 r	0.95	C
257	Nob Hill Rd	N of McNab Rd	432	23000	33200	0.69	C	2140	3220	0.66	C	432	29500	33200	0.89	D
259	Coral Ridge Dr	N of Riverside Dr	432	17400	33200	0.52	C	1620	3220	0.50	C	432	27606	33200	0.83	D
261	Coral Ridge Dr	N of Atlantic Blvd	432	22500	33200	0.68	C	2090	3220	0.65	C	432	36080	33200	1.09	F
263	Coral Ridge Dr	N of Royal Palm Blvd	422	23500	34865 r	0.67	B	2180	3382 r	0.64	B	422	32333	34865 r	0.93	C
265	Coral Ridge Dr	N of Sample Rd	422	28500	34865 r	0.82	C	2650	3382 r	0.78	B	422	33895	34865 r	0.97	D
267	Coral Ridge Dr	N of Wiles Rd	422	27500	34865 r	0.79	B	2550	3382 r	0.75	B	422	35404	34865 r	1.02	F
269	Coral Ridge Dr	N of Sawgrass Xway	474	28500	29880	0.95	D	2650	2898	0.91	D	474	44958	29880	1.50	F
1039	Nob Hill Rd	N of Heron Bay Blvd	474	11900	29880	0.40	C	1110	2898	0.38	C	474	25183	29880	0.84	D
1121	Nob Hill Rd	N of Trails End	464	11900	21580	0.55	C	1110	2093	0.53	C	464	23672	21580	1.10	F
1123	Nob Hill Rd	N OF Pine Island Rd	464	N/A	21580	N/A	N/A	N/A	2093	N/A	N/A	464	28284	21580	1.31	F
1151	NW 94 Ave	N of Oakland Park Blvd	464	4800	21580	0.22	C	450	2093	0.21	C	464	10251	21580	0.47	C
271	NW 94 Ave	N of Commercial Blvd	264	6500	9880	0.66	C	600	962	0.62	C	264	14649	9880	1.48	F
1065	NW 110 Ave	N of Sample Rd	264	6800	9880	0.69	C	630	962	0.65	C	264	8083	9880	0.82	D
273	SW 90 Ave	N of Stirling Rd	264	9400	9880	0.95	D	870	962	0.90	D	264	12464	9880	1.26	F
275	Douglas Rd	N of Dade C L	432	18500	33200	0.56	C	1720	3220	0.53	C	432	32244	33200	0.97	D
277	Douglas Rd	N of Miramar Pkwy	432	21500	33200	0.65	C	2000	3220	0.62	C	432	42974	33200	1.29	F
279	Douglas Rd	N of Miramar Blvd	432	21500	33200	0.65	C	2000	3220	0.62	C	432	32329	33200	0.97	D
281	Douglas Rd	N of Pembroke Rd	432	20600	33200	0.62	C	1910	3220	0.59	C	432	42744	33200	1.29	F
283	Douglas Rd	N of Washington St	432	20600	33200	0.62	C	1910	3220	0.59	C	432	43068	33200	1.30	F
285	Douglas Rd	N of Pines Blvd	432	20600	33200	0.62	C	1910	3220	0.59	C	432	33566	33200	1.01	E
287	Douglas Rd	N of Taft St	432	18700	33200	0.56	C	1740	3220	0.54	C	432	27295	33200	0.82	D
289	Pine Island Rd	N of Sheridan St	422	18900	34865 r	0.54	B	1760	3382 r	0.52	B	422	25592	34865 r	0.73	B
291	Pine Island Rd	N of Stirling Rd	422	16600	34865 r	0.48	B	1540	3382 r	0.46	B	422	22988	34865 r	0.66	B
293	Pine Island Rd	N of Griffin Rd	422	21500	34865 r	0.62	B	2000	3382 r	0.59	B	422	37009	34865 r	1.06	F
295	Pine Island Rd	N of Nova Dr	422	29000	34865 r	0.83	C	2690	3382 r	0.80	B	622	47284	52535 r	0.90	C
297	Pine Island Rd	N of SR 84	632	51500	50300	1.02	E	4780	4880	0.98	D	632	62579	50300	1.24	F
299	Pine Island Rd	N of Peters Rd	632	47000	50300	0.93	D	4370	4880	0.90	D	632	62672	50300	1.25	F
301	Pine Island Rd	N of Broward Blvd	632	38000	50300	0.76	C	3530	4880	0.72	C	632	55703	50300	1.11	F
303	Pine Island Rd	N of Cleary Blvd	632	41000	50300	0.82	D	3810	4880	0.78	D	632	45316	50300	0.90	D
305	Pine Island Rd	N of Sunrise Blvd	632	33000	50300	0.66	C	3070	4880	0.63	C	632	44730	50300	0.89	D
307	Pine Island Rd	N of Sunrise Lks Blvd	632	29000	50300	0.58	C	2690	4880	0.55	C	632	43108	50300	0.86	D

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
309	Pine Island Rd	N of Oakland Pk Blvd	422	35000	34865 r	1.00	F	3250	3382 r	0.96	C	622	54244	52535 r	1.03	F
311	Pine Island Rd	N of NW 44 St	422	31500	34865 r	0.90	C	2930	3382 r	0.87	C	622	54964	52535 r	1.05	F
313	Pine Island Rd	N of Commercial Blvd	422	31000	34865 r	0.89	C	2880	3382 r	0.85	C	422	36275	34865 r	1.04	F
315	Pine Island Rd	N of McNab Rd	432	24000	33200	0.72	C	2230	3220	0.69	C	432	34089	33200	1.03	E
317	Coral Sprgs Dr	N of Southgate Blvd	432	21000	33200	0.63	C	1950	3220	0.61	C	432	30309	33200	0.91	D
319	Coral Sprgs Dr	N of Atlantic Blvd	432	21000	33200	0.63	C	1950	3220	0.61	C	432	30332	33200	0.91	D
321	Coral Sprgs Dr	N of Royal Palm Blvd	422	21000	34865 r	0.60	B	1950	3382 r	0.58	B	422	34401	34865 r	0.99	D
323	Coral Sprgs Dr	N of Sample Rd	422	15600	34865 r	0.45	B	1450	3382 r	0.43	B	422	28068	34865 r	0.81	C
325	Coral Sprgs Dr	N of Wiles Rd	422	12100	34865 r	0.35	B	1120	3382 r	0.33	B	422	18453	34865 r	0.53	B
327	Pine Island Rd	N of Sawgrass Xway	474	7800	29880	0.26	C	720	2898	0.25	C	474	14230	29880	0.48	C
329	Pine Island Rd	N of Holmberg Rd	474	7000	29880	0.23	C	650	2898	0.22	C	474	15498	29880	0.52	C
1047	Pine Island Rd	N of Trails End	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	9010	21580	0.42	C
1143	SW 82 Av/78 Av/10 St	N of University Dr	464	6400	21580	0.30	C	590	2093	0.28	C	464	7189	21580	0.33	C
1145	NW 82 Ave	N of Broward Blvd	364	5900	10374	0.57	C	550	1010	0.54	C	364	6627	10374	0.64	C
331	NW 80 Ave	N of McNab Rd	464	6700	21580	0.31	C	620	2093	0.30	C	464	9007	21580	0.42	C
1157	NW 99 Ave	N of Royal Palm Blvd	264	5800	9880	0.59	C	540	962	0.56	C	264	7987	9880	0.81	D
1159	Coral Hills Dr	N of NW 29 St	264	9700	9880	0.98	D	900	962	0.93	D	264	11967	9880	1.21	F
333	University Dr	N of Dade C L	632	59500	50300	1.18	F	5530	4880	1.13	F	632	60398	50300	1.20	F
335	University Dr	N of Miramar Pkwy	632	49500	50300	0.98	D	4600	4880	0.94	D	632	54864	50300	1.09	F
337	University Dr	N of Pembroke Rd	632	54500	50300	1.08	F	5060	4880	1.04	E	632	54495	50300	1.08	F
339	University Dr	N of Hollywood Blvd	632	46000	50300	0.91	D	4270	4880	0.87	D	632	57128	50300	1.14	F
341	University Dr	N of Sheridan St	622	36000	55300	0.65	B	3340	5360	0.62	B	622	47607	55300	0.86	C
343	University Dr	N of Stirling Rd	622	44000	55300	0.80	B	4090	5360	0.76	B	622	56676	55300	1.02	F
345	University Dr	N of Griffin Rd	632	47000	50300	0.93	D	4370	4880	0.90	D	632	56727	50300	1.13	F
347	University Dr	N of Nova Dr	632	67000	50300	1.33	F	6220	4880	1.27	F	632	65814	50300	1.31	F
349	University Dr	N of SR 84	632	66500	50300	1.32	F	6180	4880	1.27	F	632	82506	50300	1.64	F
351	University Dr	N of Peters Rd	632	55300	50300	1.10	F	4980	4880	1.02	E	632	67379	50300	1.34	F
353	University Dr	N of Broward Blvd	632	52000	50300	1.03	E	4830	4880	0.99	D	632	53253	50300	1.06	F
355	University Dr	N of Cleary Blvd	632	58000	50300	1.15	F	5390	4880	1.10	F	632	60923	50300	1.21	F
357	University Dr	N of Sunrise Blvd	632	60500	50300	1.20	F	5620	4880	1.15	F	632	65830	50300	1.31	F
359	University Dr	N of Oakland Pk Blvd	632	53000	50300	1.05	E	4920	4880	1.01	E	632	58206	50300	1.16	F
361	University Dr	N of NW 44 St	632	52000	50300	1.03	E	4830	4880	0.99	D	632	56628	50300	1.13	F
363	University Dr	N of Commercial Blvd	632	50000	50300	0.99	D	4650	4880	0.95	D	632	58342	50300	1.16	F

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009								2035					
			Design Code	Daily Conditions				Peak Hour Conditions				Design Code	Daily Conditions			
				ADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
365	University Dr	N of McNab Rd	632	43000	50300	0.85	D	3990	4880	0.82	D	632	52549	50300	1.04	E
367	University Dr	N of Southgate Blvd	632	37500	50300	0.75	C	3480	4880	0.71	C	632	49402	50300	0.98	D
369	University Dr	N of Atlantic Blvd	632	49000	50300	0.97	D	4550	4880	0.93	D	632	57498	50300	1.14	F
371	University Dr	N of Shadowwood Dr	632	46000	50300	0.91	D	4270	4880	0.87	D	632	59776	50300	1.19	F
373	University Dr	N of Royal Palm Blvd	632	42500	50300	0.84	D	3950	4880	0.81	D	632	53856	50300	1.07	F
375	University Dr	N of Sample Rd	632	31000	50300	0.62	C	2880	4880	0.59	C	632	49918	50300	0.99	D
377	University Dr	N of NW 40 St	432	31500	33200	0.95	D	2930	3220	0.91	D	632	49670	50300	0.99	D
379	University Dr	N of Wiles Rd	432	27500	33200	0.83	D	2550	3220	0.79	D	632	48850	50300	0.97	D
381	University Dr	N of Sawgrass Xway	474	14700	29880	0.49	C	1370	2898	0.47	C	474	26271	29880	0.88	D
383	University Dr	N of Holmberg Rd	264	6200	9880	0.63	C	580	962	0.60	C	474	8300	29880	0.28	C
1069	NW 70 Ave	N of McNab Rd	264	7300	9880	0.74	D	680	962	0.71	D	264	8280	9880	0.84	D
389	W Inverrary Blvd	N of Oakland Pk Blvd	264	11700	9880	1.18	F	1090	962	1.13	F	264	12707	9880	1.29	F
1071	NW 64 Ave	N of NW 19 St	464	7900	21580	0.37	C	730	2093	0.35	C	464	9021	21580	0.42	C
391	NW 56 Ave	N of Sunrise Blvd	264	15400	9880	1.56	F	1430	962	1.49	F	264	25622	9880	2.59	F
393	Inverrary Blvd	N of Oakland Pk Blvd	464	17500	21580	0.81	D	1630	2093	0.78	D	464	21440	21580	0.99	D
395	Inverrary Blvd	N of NW 44 St	464	11700	21580	0.54	C	1090	2093	0.52	C	464	15956	21580	0.74	C
397	Inverrary Blvd	W of University Dr	264	6000	9880	0.61	C	560	962	0.58	C	264	10075	9880	1.02	E
399	NW 64 Ave	N of Commercial Blvd	474	16900	29880	0.57	C	1570	2898	0.54	C	474	27774	29880	0.93	D
401	SW 81 Ave	N of McNab Rd	474	17600	29880	0.59	C	1640	2898	0.57	C	474	26583	29880	0.89	D
1073	Holiday Springs Blvd	N of Royal Palm Blvd	464	4400	21580	0.20	C	410	2093	0.20	C	464	4319	21580	0.20	C
1075	Woodside Dr	N of Sample Rd	264	7600	9880	0.77	D	710	962	0.74	D	264	9138	9880	0.92	D
403	College Ave	N of NW 39 St	364	14000	10374	1.35	F	1300	1010	1.29	F	364	14130	10374	1.36	F
405	NW 55 Ave	N of Sunrise Blvd	264	11000	9880	1.11	F	1020	962	1.06	E	264	11350	9880	1.15	F
407	Rock Island Rd	N of Oakland Pk Blvd	422	21500	34865 r	0.62	B	2000	3382 r	0.59	B	422	28854	34865 r	0.83	C
409	Rock Island Rd	N of NW 44 St	422	27500	34865 r	0.79	B	2550	3382 r	0.75	B	422	36786	34865 r	1.06	F
411	Rock Island Rd	N of Commercial Blvd	422	31000	34865 r	0.89	C	2880	3382 r	0.85	C	422	44328	34865 r	1.27	F
413	Rock Island Rd	N of McNab Rd	432	30000	33200	0.90	D	2790	3220	0.87	D	432	35672	33200	1.07	F
415	Rock Island Rd	N of Southgate Blvd	432	33000	33200	0.99	D	3070	3220	0.95	D	432	39971	33200	1.20	F
417	Rock Island Rd	N of Atlantic Blvd	432	25000	33200	0.75	C	2320	3220	0.72	C	432	32317	33200	0.97	D
419	Rock Island Rd	N of Royal Palm Blvd	422	19800	34865 r	0.57	B	1840	3382 r	0.54	B	422	25942	34865 r	0.74	B
421	Rock Island Rd	N of Sample Rd	422	9600	34865 r	0.28	B	890	3382 r	0.26	B	422	15934	34865 r	0.46	B
425	SW 72 Ave	N of Pembroke Rd	264	8900	9880	0.90	D	830	962	0.86	D	264	15019	9880	1.52	F
427	SW 72 Ave	N of Hollywood Blvd	264	7600	9880	0.77	D	710	962	0.74	D	264	6648	9880	0.67	C

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
429	SW 72 Ave	N of Sheridan St	264	7100	9880	0.72	D	660	962	0.69	C	264	12139	9880	1.23	F
431	Davie Rd	E of University Dr	222	19000	15675 r	1.21	F	1770	1520 r	1.16	F	322	28502	16458.8 r	1.73	F
433	Davie Rd	N of Stirling Rd	422	19900	34865 r	0.57	B	1850	3382 r	0.55	B	422	34769	34865 r	1.00	D
435	Davie Rd	N of Griffin Rd	432	27500	33200	0.83	D	2550	3220	0.79	D	432	40014	33200	1.21	F
437	Davie Rd	N of Nova Dr	432	44500	33200	1.34	F	4130	3220	1.28	F	632	50338	50300	1.00	E
441	SW 68 Ave	N of County Line Rd	264	5400	9880	0.55	C	500	962	0.52	C	264	7240	9880	0.73	D
1135	N 68 Ave	N of Sheridan St	264	5200	9880	0.53	C	480	962	0.50	C	264	7615	9880	0.77	D
1137	N 66 Ave	N of Sheridan St	264	4500	9880	0.46	C	420	962	0.44	C	264	4569	9880	0.46	C
443	N 64 Ave	N of Hndle Bch Blvd	264	6400	9880	0.65	C	590	962	0.61	C	264	7488	9880	0.76	D
445	N 64 Ave	N of Hollywood Blvd	264	7700	9880	0.78	D	720	962	0.75	D	264	8112	9880	0.82	D
447	N 64 Ave	N of Sheridan St	264	4500	9880	0.46	C	420	962	0.44	C	264	6194	9880	0.63	C
449	SW 62 Ave	N of County Line Rd	264	5900	9880	0.60	C	550	962	0.57	C	264	9437	9880	0.96	D
451	SW 62 Ave	N of Pembroke Rd	264	12500	9880	1.27	F	1160	962	1.20	F	264	14124	9880	1.43	F
1081	NW 66 Ave	N of Atlantic Blvd	264	10400	9880	1.05	E	940	962	0.98	D	264	12464	9880	1.26	F
453	Florida's TPK(HEFT)	N of Dade C L	421	44700	73600	0.61	C	4690	6770	0.69	C	421	79480	73600	1.08	F
455	Florida's TPK(HEFT)	E of Red Rd	421	60000	73600	0.82	D	6300	6770	0.93	D	421	86911	73600	1.18	F
457	Florida's TPK(HEFT)	E of University Dr	421	31500	73600	0.43	B	2930	6770	0.43	B	421	53814	73600	0.73	C
459	Florida's Turnpike	N of Dade C L	611	79700	110300	0.72	C	7800	10150	0.77	C	811	180339	146500	1.23	F
461	Florida's Turnpike	N of Hollywood Blvd	611	103900	110300	0.94	D	10170	10150	1.00	E	811	188905	146500	1.29	F
463	Florida's Turnpike	N of Sheridan St	611	108300	110300	0.98	D	10600	10150	1.04	E	811	188905	146500	1.29	F
1169	Florida's Turnpike	N of Stirling Rd	611	108300	110300	0.98	D	10600	10150	1.04	E	811	188905	146500	1.29	F
465	Florida's Turnpike	N of Griffin Rd	611	109400	110300	0.99	D	10710	10150	1.06	E	811	173392	146500	1.18	F
467	Florida's Turnpike	N of SR 84	611	101100	110300	0.92	D	9000	10150	0.89	D	1011	201815	184000	1.10	E
469	Florida's Turnpike	N of Sunrise Blvd	611	99700	110300	0.90	D	9760	10150	0.96	D	811	190635	146500	1.30	F
471	Florida's Turnpike	N of Commercial Blvd	611	88400	110300	0.80	C	8650	10150	0.85	D	811	173135	146500	1.18	F
473	Florida's Turnpike	N of Atlantic Blvd	611	77400	110300	0.70	C	7580	10150	0.75	C	611	145317	110300	1.32	F
475	Florida's Turnpike	N of Coconut Crk Pkwy	611	79700	110300	0.72	C	7800	10150	0.77	C	611	150451	110300	1.36	F
477	Florida's Turnpike	N of Sample Rd	611	71500	110300	0.65	C	7000	10150	0.69	C	611	131372	110300	1.19	F
479	Florida's Turnpike	N of Sawgrass Xway	611	83500	110300	0.76	C	8170	10150	0.80	C	611	159830	110300	1.45	F
481	NW 49 Ave	N of NW 19 St	264	15500	9880	1.57	F	1440	962	1.50	F	464	26815	21580	1.24	F
1055	NW 49 Ave	N of NW 26 St	264	15500	9880	1.57	F	1440	962	1.50	F	264	18116	9880	1.83	F
483	NW 47 Ave	N of Sunrise Blvd	264	14000	9880	1.42	F	1300	962	1.35	F	264	18773	9880	1.90	F
1161	Turtle Creek Dr/62 Ave	N of NW 31 St	464	16000	21580	0.74	C	1490	2093	0.71	C	464	28635	21580	1.33	F



APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
1163	Cullum Rd/54 Ave	N of NW 31 St	464	6200	21580	0.29	C	560	2093	0.27	C	464	7608	21580	0.35	C
485	SR 7	N of Dade C L	422	43000	36700	1.17	F	3870	3560	1.09	F	622	70635	55300	1.28	F
487	SR 7	N of Hndle Bch Blvd	422	44000	36700	1.20	F	3960	3560	1.11	F	622	61500	55300	1.11	F
489	SR 7	N of Pembroke Rd	422	42000	36700	1.14	F	3780	3560	1.06	F	622	63639	55300	1.15	F
491	SR 7	N of Hollywood Blvd	422	39000	36700	1.06	F	3510	3560	0.99	D	622	60561	55300	1.10	F
493	SR 7	N of Sheridan St	432	43500	33200	1.31	F	3920	3220	1.22	F	632	59182	50300	1.18	F
495	SR 7	N of Stirling Rd	632	54000	50300	1.07	F	4860	4880	1.00	D	632	48930	50300	0.97	D
497	SR 7	N of Griffin Rd	632	51500	50300	1.02	E	4640	4880	0.95	D	632	57506	50300	1.14	F
499	SR 7	N of Orange Dr	632	52500	50300	1.04	E	4730	4880	0.97	D	632	52198	50300	1.04	E
501	SR 7	N of SR 84	632	50000	50300	0.99	D	4500	4880	0.92	D	632	63444	50300	1.26	F
503	SR 7	N of Riverland Rd	632	50000	50300	0.99	D	4500	4880	0.92	D	632	60056	50300	1.19	F
505	SR 7	N of Davie Blvd	632	43500	50300	0.86	D	3920	4880	0.80	D	632	56021	50300	1.11	F
507	SR 7	N of Broward Blvd	632	47000	50300	0.93	D	4230	4880	0.87	D	632	49159	50300	0.98	D
509	SR 7	N of Sunrise Blvd	632	53500	50300	1.06	F	4820	4880	0.99	D	632	59219	50300	1.18	F
511	SR 7	N of NW 19 St	632	58500	50300	1.16	F	5270	4880	1.08	F	632	62209	50300	1.24	F
513	SR 7	N of Oakland Pk Blvd	632	52000	50300	1.03	E	4860	4880	1.00	D	632	57154	50300	1.14	F
515	SR 7	N of Commercial Blvd	632	41500	50300	0.83	D	3740	4880	0.77	C	632	61880	50300	1.23	F
517	SR 7	N of Bailey Rd	632	40000	50300	0.80	D	3600	4880	0.74	C	632	48132	50300	0.96	D
519	SR 7	N of NW 62 St	632	45500	50300	0.90	D	4100	4880	0.84	D	632	51329	50300	1.02	E
521	SR 7	N of Kimberly Blvd	632	45500	50300	0.90	D	4100	4880	0.84	D	632	57600	50300	1.15	F
523	SR 7	N of Southgate Blvd	632	54000	50300	1.07	F	4860	4880	1.00	D	632	73192	50300	1.46	F
525	SR 7	N of Atlantic Blvd	632	47000	50300	0.93	D	4590	4880	0.94	D	632	61614	50300	1.22	F
527	SR 7	N of Margate Blvd	632	47000	50300	0.93	D	4590	4880	0.94	D	632	62382	50300	1.24	F
529	SR 7	N of Royal Palm Blvd	632	47500	50300	0.94	D	4280	4880	0.88	D	632	66144	50300	1.31	F
531	SR 7	N of Sample Rd	632	46500	50300	0.92	D	4190	4880	0.86	D	632	41907	50300	0.83	D
533	SR 7	N of Wiles Rd	632	53000	50300	1.05	E	4770	4880	0.98	D	632	56343	50300	1.12	F
535	SR 7	N of Sawgrass Xway	632	54250	50300	1.08	F	4885	4880	1.00	E	632	55825	50300	1.11	F
537	SR 7	N of Holmberg Rd	632	55500	50300	1.10	F	5000	4880	1.02	E	632	49732	50300	0.99	D
539	SR 7	N of Hillsboro Blvd	632	51500	50300	1.02	E	4640	4880	0.95	D	632	47314	50300	0.94	D
541	Banks Rd	N of Atlantic Blvd	474	10400	29880	0.35	C	940	2898	0.32	C	474	21915	29880	0.73	C
543	Banks Rd	N of Copans Rd	474	4700	29880	0.16	C	420	2898	0.14	C	474	8658	29880	0.29	C
1013	Banks Rd	N of Sample Rd	264	200	9880	0.02	C	20	962	0.02	C	464	21795	21580	1.01	E
1165	Banks Rd	N of NW 40 St	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	18837	21580	0.87	D

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				ADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
545	SW 56 Ave	N of Dade C L	264	8400	9880	0.85	D	760	962	0.79	D	264	7393	9880	0.75	D
547	SW 56 Ave	N of Hndle Bch Blvd	264	10500	9880	1.06	E	950	962	0.99	D	264	13206	9880	1.34	F
549	S 56 Ave	N of Pembroke Rd	264	10500	9880	1.06	E	950	962	0.99	D	264	9726	9880	0.98	D
551	N 56 Ave	N of Hollywood Blvd	264	9200	9880	0.93	D	830	962	0.86	D	264	12160	9880	1.23	F
553	N 56 Ave	N of Sheridan St	264	11000	9880	1.11	F	990	962	1.03	E	264	12492	9880	1.26	F
555	SW 40 Ave	N of Stirling Rd	264	7000	9880	0.71	D	630	962	0.65	C	264	9775	9880	0.99	D
1125	SW 52 Ave	N of County Line Rd	264	5400	9880	0.55	C	490	962	0.51	C	264	6527	9880	0.66	C
557	SW 48 Ave	N of County Line Rd	264	4900	9880	0.50	C	440	962	0.46	C	264	6233	9880	0.63	C
561	S 46 Ave	N of Washington St	264	9300	9880	0.94	D	840	962	0.87	D	264	17729	9880	1.79	F
563	N 46 Ave	N of Hollywood Blvd	464	9300	21580	0.43	C	840	2093	0.40	C	464	20233	21580	0.94	D
565	N 46 Ave	N of Sheridan St	464	12700	21580	0.59	C	1140	2093	0.54	C	464	24094	21580	1.12	F
567	SW 40 Ave	N of Dade C L	264	5600	9880	0.57	C	500	962	0.52	C	264	8041	9880	0.81	D
569	SW 40 Ave	N of Hndle Bch Blvd	264	7400	9880	0.75	D	670	962	0.70	D	264	9263	9880	0.94	D
571	S 35 Ave	N of Washington St	264	6800	9880	0.69	C	610	962	0.63	C	264	8139	9880	0.82	D
573	N Park Rd	N of Pembroke Rd	474	13600	29880	0.46	C	1220	2898	0.42	C	474	25270	29880	0.85	D
575	N Park Rd	N of Hollywood Blvd	474	20300	29880	0.68	C	1830	2898	0.63	C	474	28707	29880	0.96	D
577	N Park Rd	N of W Park Rd	274	13500	13680	0.99	D	1220	1332	0.92	D	274	18626	13680	1.36	F
579	N Park Rd	N of Sheridan St	274	9300	13680	0.68	C	840	1332	0.63	C	274	11142	13680	0.81	D
1133	S Park Rd	N of Hallandale Bch Blvd	264	7300	9880	0.74	D	660	962	0.69	C	264	10717	9880	1.08	F
581	SW 31 Ave	N of Riverland Rd	264	4000	9880	0.40	C	360	962	0.37	C	264	4688	9880	0.47	C
583	SW 31 Ave	N of Davie Blvd	264	8700	9880	0.88	D	780	962	0.81	D	264	17922	9880	1.81	F
585	NW 31 Ave	N of Broward Blvd	422	20500	34865 r	0.59	B	1850	3382 r	0.55	B	422	25283	34865 r	0.73	B
587	NW 31 Ave	N of NW 6 St	622	26000	52535 r	0.49	B	2340	5092 r	0.46	B	622	37357	52535 r	0.71	B
589	NW 31 Ave	N of Sunrise Blvd	622	34500	52535 r	0.66	B	3110	5092 r	0.61	B	622	48535	52535 r	0.92	C
591	NW 31 Ave	N of NW 19 St	622	36500	52535 r	0.69	B	3290	5092 r	0.65	B	622	47020	52535 r	0.90	C
593	NW 31 Ave	N of Oakland Pk Blvd	632	31500	50300	0.63	C	2840	4880	0.58	C	632	34331	50300	0.68	C
595	NW 31 Ave	N of Commercial Blvd	632	29000	50300	0.58	C	2610	4880	0.53	C	632	42198	50300	0.84	D
597	NW 31 Ave	N of Prospect Rd	632	32500	50300	0.65	C	2930	4880	0.60	C	632	42887	50300	0.85	D
599	Lyons Rd	N of Cypress Crk Rd	622	28500	52535 r	0.54	B	2570	5092 r	0.50	B	622	39595	52535 r	0.75	B
601	Lyons Rd	N of McNab Rd	422	27500	34865 r	0.79	B	2480	3382 r	0.73	B	422	46683	34865 r	1.34	F
1041	Lyons Rd	N of Atlantic Blvd	632	25500	50300	0.51	C	2300	4880	0.47	C	632	42881	50300	0.85	D
603	Lyons Rd	N of NW 6 Mr	432	30000	33200	0.90	D	2700	3220	0.84	D	432	39894	33200	1.20	F
605	Lyons Rd	N of Coconut Crk Pkwy	432	30000	33200	0.90	D	2700	3220	0.84	D	432	32949	33200	0.99	D

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				ADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
607	Lyons Rd	N of Copans Rd	432	31000	33200	0.93	D	2790	3220	0.87	D	432	31949	33200	0.96	D
609	Lyons Rd	N of Sample Rd	632	37500	50300	0.75	C	3380	4880	0.69	C	632	49593	50300	0.99	D
611	Lyons Rd	N of Wiles Rd	632	38500	50300	0.77	C	3470	4880	0.71	C	632	42966	50300	0.85	D
613	Lyons Rd	N of Sawgrass Xway	632	35500	50300	0.71	C	3200	4880	0.66	C	632	44072	50300	0.88	D
615	Lyons Rd	N of Hillsboro Blvd	632	25500	50300	0.51	C	2300	4880	0.47	C	632	40576	50300	0.81	D
617	Riverland Rd	E of SR 7	264	12500	9880	1.27	F	1130	962	1.17	F	264	15631	9880	1.58	F
619	SW 27 Ave	N of Davie Blvd	474	11500	29880	0.38	C	1040	2898	0.36	C	474	26781	29880	0.90	D
1087	NW 27 Ave	N of Sunrise Blvd	264	9500	9880	0.96	D	860	962	0.89	D	264	13253	9880	1.34	F
621	SW 30 Ave	N of Griffin Rd	264	9000	9880	0.91	D	810	962	0.84	D	464	28782	21580	1.33	F
1043	SW 30 Ave	N of SW 42 St	464	9800	21580	0.45	C	880	2093	0.42	C	464	28932	21580	1.34	F
623	SW 26 Terr	N of SW 32 St	264	5200	9880	0.53	C	470	962	0.49	C	264	8764	9880	0.89	D
625	Ravenswood Rd	N of Stirling Rd	274	13300	13680	0.97	D	1200	1332	0.90	D	474	41103	29880	1.38	F
627	Ravenswood Rd	N of Griffin Rd	274	7900	13680	0.58	C	710	1332	0.53	C	474	19610	29880	0.66	C
1053	Ravenswood Rd	N of NW 36 ST	274	2000	13680	0.15	C	180	1332	0.13	C	274	4763	13680	0.35	C
629	N 29 Ave	N of Sheridan St	464	9200	21580	0.43	C	830	2093	0.40	C	464	18289	21580	0.85	D
631	NW 23 Ave	N of Sunrise Blvd	374	10500	14364	0.73	D	950	1399	0.68	C	374	15373	14364	1.07	F
633	NW 21 Ave	N of NW 19 St	274	15500	13680	1.13	F	1400	1332	1.05	E	274	23153	13680	1.69	F
635	NW 21 Ave	N of Oakland Pk Blvd	274	15500	13680	1.13	F	1400	1332	1.05	E	474	34356	29880	1.15	F
1089	NW 21 Ave	N of Commercial Blvd	264	5200	9880	0.53	C	470	962	0.49	C	264	8716	9880	0.88	D
637	NW 21/Oaks Dr	N of Cypress Crk Rd	264	5300	9880	0.54	C	480	962	0.50	C	264	5384	9880	0.54	C
639	NW 31 Ave_FTPK	N of Atlantic Blvd	422	16500	36700	0.45	B	1490	3560	0.42	B	422	20980	36700	0.57	B
641	Blount Rd	N of Coconut Crk Pkwy	264	8300	9880	0.84	D	750	962	0.78	D	474	21398	29880	0.72	C
643	Blount Rd	N of Copans Rd	464	4400	21580	0.20	C	400	2093	0.19	C	464	19390	21580	0.90	D
647	NW 15 Ave	N of Sunrise Blvd	264	8600	9880	0.87	D	770	962	0.80	D	264	11035	9880	1.12	F
1153	NW 12 Ave	N of Commercial Blvd	464	4200	21580	0.19	C	380	2093	0.18	C	464	6159	21580	0.29	C
1091	NW 27 Ave	N of Atlantic Blvd	264	8500	9880	0.86	D	770	962	0.80	D	264	13681	9880	1.38	F
1095	Bryan Rd	N of Stirling Rd	264	4000	9880	0.40	C	360	962	0.37	C	264	7462	9880	0.76	D
651	SW 9 Ave	N of SR 84	264	5300	9880	0.54	C	480	962	0.50	C	264	8265	9880	0.84	D
653	NW 9 Ave	N of Broward Blvd	264	3400	9880	0.34	C	310	962	0.32	C	264	4937	9880	0.50	C
655	NW 9 Ave	N of NW 6 St	264	8600	9880	0.87	D	770	962	0.80	D	264	10371	9880	1.05	E
657	Powerline Rd	N of Sunrise Blvd	632	19200	50300	0.38	C	1730	4880	0.35	C	632	27996	50300	0.56	C
659	Powerline Rd	N of NW 19 St	632	23500	50300	0.47	C	2120	4880	0.43	C	632	32940	50300	0.65	C
661	Powerline Rd	N of Oakland Pk Blvd	622	24500	55300	0.44	B	2210	5360	0.41	B	622	31696	55300	0.57	B

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
663	Powerline Rd	N of Prospect Rd	622	28500	55300	0.52	B	2570	5360	0.48	B	622	31869	55300	0.58	B
665	Powerline Rd	N of Commercial Blvd	622	32500	55300	0.59	B	2930	5360	0.55	B	622	37037	55300	0.67	B
667	Powerline Rd	N of Cypress Crk Rd	632	38000	50300	0.76	C	3420	4880	0.70	C	632	51281	50300	1.02	E
669	Powerline Rd	N of Atlantic Blvd	622	36000	55300	0.65	B	3240	5360	0.60	B	622	43089	55300	0.78	B
671	Powerline Rd	N of Copans Rd	622	29500	55300	0.53	B	2660	5360	0.50	B	622	39684	55300	0.72	B
673	Powerline Rd	N of Sample Rd	622	38500	55300	0.70	B	3470	5360	0.65	B	622	40092	55300	0.72	B
675	Powerline Rd	N of Green Rd	622	30500	55300	0.55	B	2750	5360	0.51	B	622	39623	55300	0.72	B
677	Powerline Rd	N of SW 10 St	432	37000	33200	1.11	F	3330	3220	1.03	E	632	53341	50300	1.06	F
679	Powerline Rd	N of Hillsboro Blvd	432	31500	33200	0.95	D	2840	3220	0.88	D	632	51916	50300	1.03	E
1059	7/9 Ave Connector	N of NW 6 St	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	432	36738	33200	1.11	F
685	I-95	N of Dade C L	1021	232000	184000	1.26	F	19720	16930	1.16	F	1021	272964	184000	1.48	F
687	I-95	N of Hndle Bch Blvd	1021	236100	184000	1.28	F	20070	16930	1.19	F	1221	312524	238600	1.31	F
689	I-95	N of Pembroke Rd	1021	267000	184000	1.45	F	22700	16930	1.34	F	1221	314559	238600	1.32	F
691	I-95	N of Hollywood Blvd	1021	266000	184000	1.45	F	22610	16930	1.34	F	1221	322296	238600	1.35	F
693	I-95	N of Sheridan St	1021	281000	184000	1.53	F	23890	16930	1.41	F	1221	350098	238600	1.47	F
695	I-95	N of Stirling Rd	1021	277000	184000	1.51	F	23550	16930	1.39	F	1221	332460	238600	1.39	F
697	I-95	N of Griffin Rd	1021	270000	184000	1.47	F	22950	16930	1.36	F	1221	341246	238600	1.43	F
699	I-95	N of I-595	1021	299000	184000	1.62	F	25420	16930	1.50	F	1221	333944	238600	1.40	F
701	I-95	N of SR 84	1021	299000	184000	1.62	F	25420	16930	1.50	F	1221	337340	238600	1.41	F
703	I-95	N of Davie Blvd	1021	296000	184000	1.61	F	25160	16930	1.49	F	1221	350795	238600	1.47	F
705	I-95	N of Broward Blvd	1021	306000	184000	1.66	F	26010	16930	1.54	F	1221	364950	238600	1.53	F
707	I-95	N of Sunrise Blvd	1021	276000	184000	1.50	F	23460	16930	1.39	F	1221	325009	238600	1.36	F
709	I-95	N of Oakland Pk Blvd	1021	267000	184000	1.45	F	22700	16930	1.34	F	1221	311323	238600	1.30	F
711	I-95	N of Commercial Blvd	821	225000	146500	1.54	F	19130	13480	1.42	F	1021	301381	184000	1.64	F
713	I-95	N of Cypress Crk Rd	821	221000	146500	1.51	F	18790	13480	1.39	F	1021	290520	184000	1.58	F
715	I-95	N of Atlantic Blvd	821	224000	146500	1.53	F	19040	13480	1.41	F	1021	291558	184000	1.58	F
717	I-95	N of Copans Rd	821	217000	146500	1.48	F	18450	13480	1.37	F	1021	276375	184000	1.50	F
719	I-95	N of Sample Rd	821	190900	146500	1.30	F	16230	13480	1.20	F	1021	270557	184000	1.47	F
721	I-95	N of SW 10 St	821	205000	146500	1.40	F	17430	13480	1.29	F	1021	288061	184000	1.57	F
723	I-95	N of Hillsboro Blvd	821	193000	146500	1.32	F	16410	13480	1.22	F	1021	280487	184000	1.52	F
725	SW 4 Ave	N of I-595	464	11000	21580	0.51	C	990	2093	0.47	C	464	17250	21580	0.80	D
727	SW 4 Ave	N of SR 84	432	14300	33200	0.43	C	1290	3220	0.40	C	432	20365	33200	0.61	C
729	SW 4 Ave	N of Davie Blvd	452	13300	28200	0.47	D	1200	2730	0.44	C	452	19076	28200	0.68	D

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				ADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
731	SW 4 Ave	N of SW 7 St-CBD	452	15600	28200	0.55	D	1405	2730	0.51	D	452	22611	28200	0.80	D
733	NW 7 Ave	N of Las Olas Blv-CBD	452	17900	28200	0.63	D	1610	2730	0.59	D	452	23895	28200	0.85	D
735	NW 7 Ave	N of Broward Blvd-CBD	432	16800	33200	0.51	C	1510	3220	0.47	C	432	21833	33200	0.66	C
737	NW 7 Ave	N of NW 6 St	432	12800	33200	0.39	C	1150	3220	0.36	C	432	10580	33200	0.32	C
739	NW 7 Ave	N of Sunrise Blvd	264	7000	9880	0.71	D	630	962	0.65	C	264	9061	9880	0.92	D
741	S 28 Ave	N of Pembroke Rd	264	9100	9880	0.92	D	820	962	0.85	D	264	10896	9880	1.10	F
743	S 28 Ave	N of Hollywood Blvd	264	9100	9880	0.92	D	820	962	0.85	D	264	11527	9880	1.17	F
745	SW 8 Ave	N of Dade C L	264	8400	9880	0.85	D	760	962	0.79	D	264	10154	9880	1.03	E
747	NW 8 Ave	N of Hndle Bch Blvd	264	6900	9880	0.70	D	620	962	0.64	C	264	11425	9880	1.16	F
749	S 26 Ave	N of Pembroke Rd	264	2100	9880	0.21	C	190	962	0.20	C	264	4820	9880	0.49	C
751	N 26 Ave	N of Hollywood Blvd	264	9600	9880	0.97	D	860	962	0.89	D	264	11627	9880	1.18	F
1097	SW 2 Ave	N of I-595	464	5200	21580	0.24	C	470	2093	0.22	C	464	7042	21580	0.33	C
753	Andrews Ave	N of Eller Dr	474	11100	29880	0.37	C	1000	2898	0.34	C	474	13740	29880	0.46	C
755	Andrews Ave	N of SR 84	432	19000	33200	0.57	C	1710	3220	0.53	C	432	27850	33200	0.84	D
757	Andrews Ave	N of SE 17 St	432	17700	33200	0.53	C	1590	3220	0.49	C	432	24233	33200	0.73	C
759	Andrews Ave	N of Davie Blvd	452	17400	28200	0.62	D	1570	2730	0.57	D	452	27684	28200	0.98	D
761	Andrews Ave	N of SW 7 St-CBD	452	19100	28200	0.68	D	1720	2730	0.63	D	452	28466	28200	1.01	E
763	Andrews Ave	N of Broward Blvd-CBD	432	17500	33200	0.53	C	1580	3220	0.49	C	432	22978	33200	0.69	C
765	Andrews Ave	N of NE 6 St	432	17500	33200	0.53	C	1580	3220	0.49	C	432	21848	33200	0.66	C
767	Andrews Ave	N of Sunrise Blvd	432	16500	33200	0.50	C	1490	3220	0.46	C	432	37579	33200	1.13	F
769	Andrews Ave	N of Oakland Pk Blvd	432	21500	33200	0.65	C	1940	3220	0.60	C	432	35617	33200	1.07	F
771	Andrews Ave	N of Prospect Rd	432	17000	33200	0.51	C	1530	3220	0.47	C	432	25236	33200	0.76	D
773	Andrews Ave	N of Commercial Blvd	432	12800	33200	0.39	C	1150	3220	0.36	C	432	19044	33200	0.57	C
775	Andrews Ave	N of Cypress Crk Rd	622	17400	52535 r	0.33	B	1570	5092 r	0.31	B	622	30607	52535 r	0.58	B
777	Andrews Ave	N of McNab Rd	422	14500	34865 r	0.42	B	1310	3382 r	0.39	B	422	34625	34865 r	0.99	D
779	Andrews Ave	N of Pompano Pk Pl	222	10000	15675 r	0.64	C	900	1520 r	0.59	C	422	43449	34865 r	1.25	F
781	Andrews Ave	N of Atlantic Blvd	422	8650	34865 r	0.25	B	780	3382 r	0.23	B	422	34093	34865 r	0.98	D
1015	Andrews Ave	N of NW 15 St	264	7300	9880	0.74	D	660	962	0.69	C	422	28144	34865 r	0.81	C
783	Military Trail	N of Copans Rd	422	16400	34865 r	0.47	B	1480	3382 r	0.44	B	422	23150	34865 r	0.66	B
785	Military Trail	N of Sample Rd	422	19400	34865 r	0.56	B	1750	3382 r	0.52	B	422	27072	34865 r	0.78	B
787	Military Trail	N of Green Rd	422	24500	34865 r	0.70	B	2210	3382 r	0.65	B	422	34238	34865 r	0.98	D
789	Military Trail	N of SW 15 St	422	24500	34865 r	0.70	B	2210	3382 r	0.65	B	422	33228	34865 r	0.95	C
791	Military Trail	N of SW 10 St	422	19000	34865 r	0.54	B	1710	3382 r	0.51	B	422	23190	34865 r	0.67	B

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
793	Military Trail	N of Hillsboro Blvd	422	22500	34865 r	0.65	B	2030	3382 r	0.60	B	422	27957	34865 r	0.80	C
1099	N Dixie Hwy	N of NE 13 St	264	5400	9880	0.55	C	490	962	0.51	C	264	7715	9880	0.78	D
1147	N Dixie Hwy	N of NE 16 St	264	6800	9880	0.69	C	610	962	0.63	C	264	8170	9880	0.83	D
795	NE 6 Ave	N of Dixie Hwy	264	8200	9880	0.83	D	740	962	0.77	D	264	11940	9880	1.21	F
797	NE 6 Ave	N of Prospect Rd	264	7200	9880	0.73	D	650	962	0.67	C	264	12015	9880	1.22	F
799	NE 6 Ave	N of Commercial Blvd	464	7100	21580	0.33	C	640	2093	0.31	C	464	13957	21580	0.65	C
801	NE 6 Ave	N of NE 56 St	264	3600	9880	0.36	C	320	962	0.33	C	264	5682	9880	0.58	C
1101	NW 6 Ave	N of Atlantic Blvd	264	7500	9880	0.76	D	680	962	0.71	D	264	10272	9880	1.04	E
803	NE 3 Ave	N of Copans Rd	264	8500	9880	0.86	D	770	962	0.80	D	464	29568	21580	1.37	F
805	NE 3 Ave	N of Sample Rd	264	11500	9880	1.16	F	1040	962	1.08	F	464	25073	21580	1.16	F
807	NE 3 Ave	N of NE 48 St	264	8400	9880	0.85	D	760	962	0.79	D	464	19476	21580	0.90	D
1057	NE 3 Ave	N of NE 54 St / SW 15 St	264	8400	9880	0.85	D	760	962	0.79	D	464	18600	21580	0.86	D
809	Natura Blvd	N of SE 10 St	464	6600	21580	0.31	C	590	2093	0.28	C	464	11240	21580	0.52	C
811	Dixie Hwy/ 21 Ave	N of Dade C L	463	8700	25896	0.34	C	780	2512	0.31	C	463	14012	25896	0.54	C
813	Dixie Hwy/ 21 Ave	N of Hndle Bch Blvd	463	9700	25896	0.37	C	870	2512	0.35	C	463	16576	25896	0.64	C
815	Dixie Hwy/ 21 Ave	N of Pembroke Rd	463	12400	25896	0.48	C	1120	2512	0.45	C	463	18329	25896	0.71	C
817	Dixie Hwy/ 21 Ave	N of Hollywood Blvd	463	10400	25896	0.40	C	940	2512	0.37	C	463	15753	25896	0.61	C
819	Dixie Hwy/ 21 Ave	N of Sheridan St	464	3000	21580	0.14	C	270	2093	0.13	C	464	6883	21580	0.32	C
1049	Dixie Hwy/ 21 Ave	N of Phippen Rd	264	3000	9880	0.30	C	270	962	0.28	C	264	4986	9880	0.50	C
821	SE 3 Ave	N of SE 17 St	432	7100	33200	0.21	C	640	3220	0.20	C	432	15877	33200	0.48	C
823	SE 3 Ave	N of Davie Blvd	452	12400	28200	0.44	C	1120	2730	0.41	C	452	22048	28200	0.78	D
825	SE 3 Ave	N of SE 7 St-CBD	452	22500	28200	0.80	D	2030	2730	0.74	D	452	29020	28200	1.03	E
827	NE 3 Ave	N of Broward Blvd-CBD	452	12300	28200	0.44	C	1110	2730	0.41	C	452	23194	28200	0.82	D
829	NE 3 Ave	N of NE 6 St	452	12300	28200	0.44	C	1110	2730	0.41	C	452	25110	28200	0.89	D
831	NE 4 Ave/Wilton Dr	N of Sunrise Blvd	432	19100	33200	0.58	C	1720	3220	0.53	C	432	28216	33200	0.85	D
833	Dixie Hwy	N of Oakland Pk Blvd	432	23000	33200	0.69	C	2070	3220	0.64	C	432	28500	33200	0.86	D
835	Dixie Hwy	N of NE 38 St	432	31000	33200	0.93	D	2790	3220	0.87	D	432	32998	33200	0.99	D
837	Dixie Hwy	N of Commercial Blvd	432	19400	33200	0.58	C	1750	3220	0.54	C	432	25751	33200	0.78	D
839	Dixie Hwy	N of McNab Rd	633	20200	60360	0.33	B	1820	5856	0.31	B	633	29555	60360	0.49	B
841	Dixie Hwy	N of Pompano Park Pl	432	23000	33200	0.69	C	2070	3220	0.64	C	432	29049	33200	0.87	D
843	Dixie Hwy	N of Atlantic Blvd	432	23500	33200	0.71	C	2115	3220	0.66	C	432	30723	33200	0.93	D
845	Dixie Hwy	N of NW 15 St	432	24000	33200	0.72	C	2160	3220	0.67	C	432	33485	33200	1.01	E
847	Dixie Hwy	N of Copans Rd	432	23000	33200	0.69	C	2070	3220	0.64	C	432	26116	33200	0.79	D

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
849	Dixie Hwy	N of Sample Rd	432	30500	33200	0.92	D	2750	3220	0.85	D	432	18075	33200	0.54	C
851	Dixie Hwy	N of NE 48 St	432	18600	33200	0.56	C	1670	3220	0.52	C	432	25804	33200	0.78	D
853	Dixie Hwy	N of SW 10 St	432	9200	33200	0.28	C	830	3220	0.26	C	432	14146	33200	0.43	C
855	Dixie Hwy	N of Hillsboro Blvd	232	13000	15200	0.86	D	1170	1480	0.79	D	432	35754	33200	1.08	F
857	NE 15 Ave	N of Las Olas Blvd	264	12500	9880	1.27	F	1130	962	1.17	F	264	12789	9880	1.29	F
859	NE 15 Ave	N of Broward Blvd	264	5900	9880	0.60	C	410	962	0.43	C	264	6095	9880	0.62	C
861	NE 15 Ave	N of NE 6 St	264	9600	9880	0.97	D	860	962	0.89	D	264	11465	9880	1.16	F
863	NE 15 Ave	N of Sunrise Blvd	464	17900	21580	0.83	D	1610	2093	0.77	D	464	24214	21580	1.12	F
865	NE 15 Ave	N of NE 13 St	464	12000	21580	0.56	C	1080	2093	0.52	C	464	15937	21580	0.74	C
1045	NE 15 Ave	N of NE 18 St	264	12000	9880	1.21	F	1080	962	1.12	F	264	13899	9880	1.41	F
1105	NE 16 Ave	N of Oakland Pk Blvd	264	4300	9880	0.44	C	390	962	0.40	C	264	6188	9880	0.63	C
867	Cypress Rd /18 Av	N of Floranada Rd	264	12300	9880	1.24	F	1110	962	1.15	F	264	17137	9880	1.73	F
869	Cypress Rd /18 Av	N of Commercial Blvd	474	12300	29880	0.41	C	1110	2898	0.38	C	474	23502	29880	0.79	D
871	Cypress Rd /18 Av	N of NE 62 St	474	17100	29880	0.57	C	1540	2898	0.53	C	474	30377	29880	1.02	E
873	NE 5 Ave / 1 St / 2 Ave	N of Atlantic Blvd	264	2800	9880	0.28	C	250	962	0.26	C	264	5779	9880	0.58	C
875	NE 11 Ave	N of Atlantic Blvd	264	4800	9880	0.49	C	430	962	0.45	C	264	6197	9880	0.63	C
1107	SW 3 Ave (Deerfield Bch)	N of SW 10 St	464	5500	21580	0.25	C	500	2093	0.24	C	464	10108	21580	0.47	C
1167	SE 2 Ave (Deerfield Bch)	N of SE 10 St	264	5400	9880	0.55	C	490	962	0.51	C	264	9382	9880	0.95	D
877	US 1	N of Dade C L	632	50500	50300	1.00	E	4550	4880	0.93	D	632	74665	50300	1.48	F
879	US 1	N of Hndle Bch Blvd	432	31500	33200	0.95	D	2840	3220	0.88	D	432	46422	33200	1.40	F
881	US 1	N of Pembroke Rd	432	25600	33200	0.77	D	2310	3220	0.72	C	432	41065	33200	1.24	F
883	US 1	N of Hollywood Blvd	432	31500	33200	0.95	D	2840	3220	0.88	D	432	41981	33200	1.26	F
885	US 1	N of Sheridan St	432	30000	33200	0.90	D	2700	3220	0.84	D	432	47361	33200	1.43	F
887	US 1	N of Stirling Rd	432	42000	33200	1.27	F	3780	3220	1.17	F	432	46288	33200	1.39	F
889	US 1	N of Griffin Rd	622	48000	55300	0.87	C	4320	5360	0.81	B	622	61045	55300	1.10	F
891	US 1	N of I-595	622	23000	55300	0.42	B	2070	5360	0.39	B	622	72246	55300	1.31	F
893	US 1	N of SR 84	632	70500	50300	1.40	F	6350	4880	1.30	F	632	66344	50300	1.32	F
895	US 1	N of Davie Blvd	632	41500	50300	0.83	D	3740	4880	0.77	C	632	58886	50300	1.17	F
897	US 1	N of SE 7 St-CBD	632	41500	50300	0.83	D	3740	4880	0.77	C	632	60033	50300	1.19	F
899	US 1	N of Broward Blvd-CBD	652	41000	43700	0.94	D	3690	4240	0.87	D	652	48345	43700	1.11	F
901	US 1	N of NE 6 St	652	40500	43700	0.93	D	3650	4240	0.86	D	652	44109	43700	1.01	E
903	US 1	E of Searstown (see 536)	632	56500	50300	1.12	F	5090	4880	1.04	E	632	65574	50300	1.30	F
905	US 1	N of Gateway	632	44000	50300	0.87	D	3960	4880	0.81	D	632	56238	50300	1.12	F

APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
907	US 1	N of Oakland Pk Blvd	632	48000	50300	0.95	D	4320	4880	0.89	D	632	55826	50300	1.11	F
909	US 1	N of Commercial Blvd	632	46500	50300	0.92	D	4190	4880	0.86	D	632	47710	50300	0.95	D
911	US 1	N of NE 62 St	632	41000	50300	0.82	D	3690	4880	0.76	C	632	55350	50300	1.10	F
913	US 1	N of McNab Rd	632	41000	50300	0.82	D	3690	4880	0.76	C	632	56433	50300	1.12	F
915	US 1	N of Atlantic Blvd	632	42000	50300	0.83	D	3780	4880	0.77	C	632	47432	50300	0.94	D
917	US 1	N of NE 10 St	632	47500	50300	0.94	D	4280	4880	0.88	D	632	55850	50300	1.11	F
919	US 1	N of Copans Rd	632	41500	50300	0.83	D	3740	4880	0.77	C	632	43846	50300	0.87	D
921	US 1	N of Sample Rd	632	38000	50300	0.76	C	3420	4880	0.70	C	632	46572	50300	0.93	D
923	US 1	N of SW 10 St	632	34500	50300	0.69	C	3110	4880	0.64	C	632	52207	50300	1.04	E
925	US 1	N of Hillsboro Blvd	632	30000	50300	0.60	C	2700	4880	0.55	C	632	29725	50300	0.59	C
927	Miami Rd	N of Eller Dr	464	2000	21580	0.09	C	180	2093	0.09	C	464	3345	21580	0.15	C
929	Miami Rd	N of SR 84	264	4200	9880	0.43	C	380	962	0.39	C	264	4902	9880	0.50	C
1111	Miami Rd	N of SE 17 St	264	1500	9880	0.15	C	140	962	0.14	C	264	1751	9880	0.18	C
933	Victoria Pk Rd	N of Broward Blvd	264	5600	9880	0.57	C	500	962	0.52	C	264	6666	9880	0.67	C
935	NE 20 Ave/7 St	E of Victoria Pk Rd	264	5200	9880	0.53	C	470	962	0.49	C	264	7489	9880	0.76	D
937	NE/S 14 Ave	N of Hndle Bch Blvd	264	8500	9880	0.86	D	770	962	0.80	D	264	8226	9880	0.83	D
939	N 14 Ave	N of Hollywood Blvd	264	5050	9880	0.51	C	455	962	0.47	C	264	3609	9880	0.37	C
1113	SE 5 Ave	N of Sheridan St	264	8000	9880	0.81	D	720	962	0.75	D	264	14316	9880	1.45	F
941	Diplomat Pkwy	N of Hndle Bch Blvd	264	3200	9880	0.32	C	290	962	0.30	C	264	4194	9880	0.42	C
947	Eisenhower Blvd	N of Eller Dr	464	3600	21580	0.17	C	320	2093	0.15	C	464	10708	21580	0.50	C
999	Eisenhower Blvd	N of Spangler Rd	464	3600	21580	0.17	C	320	2093	0.15	C	464	25030	21580	1.16	F
949	Bayview Dr	N of Sunrise Blvd	264	11500	9880	1.16	F	1040	962	1.08	F	264	14731	9880	1.49	F
951	Bayview Dr	N of Oakland Pk Blvd	264	11000	9880	1.11	F	990	962	1.03	E	264	13490	9880	1.37	F
953	Bayview Dr	N of Commercial Blvd	264	5900	9880	0.60	C	530	962	0.55	C	264	8776	9880	0.89	D
955	NE 26 Ave / NE 10 St	N of Atlantic Blvd	264	4500	9880	0.46	C	410	962	0.43	C	264	4473	9880	0.45	C
957	NE 23 Ave	N of Copans Rd	264	4700	9880	0.48	C	440	962	0.46	C	264	7684	9880	0.78	D
959	NE 22/23 Ave	N of Sample Rd	264	5782	9880	0.59	C	545	962	0.57	C	264	11034	9880	1.12	F
961	SE 12 Ave	N of NE 49 St	264	5900	9880	0.60	C	530	962	0.55	C	264	6352	9880	0.64	C
965	SR A1A	N of Dade C L	632	29000	50300	0.58	C	2610	4880	0.53	C	632	37458	50300	0.74	C
967	SR A1A	N of Hndle Bch Blvd	632	33500	50300	0.67	C	3020	4880	0.62	C	632	40575	50300	0.81	D
969	SR A1A	N of Hollywood Blvd	432	21500	33200	0.65	C	1940	3220	0.60	C	432	31076	33200	0.94	D
971	SR A1A	N of Sheridan St	222	12000	16500	0.73	C	1080	1600	0.67	C	222	13110	16500	0.79	C
973	SR A1A	N of SE 17 St	432	36000	33200	1.08	F	3240	3220	1.01	E	432	36409	33200	1.10	F



APPENDIX C: North / South Roadways Capacity and Level of Service Analysis 2009 & 2035

ID	N/S Roadway	Segment	2009				2009				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				ADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
975	SR A1A	N of Seabreeze Blvd	433	36000	39840	0.90	C	3240	3864	0.84	C	433	39519	39840	0.99	C
977	SR A1A	N of Las Olas Blvd	433	31000	39840	0.78	C	2800	3864	0.72	B	433	39773	39840	1.00	C
979	SR A1A	N of Bayshore Dr	432	30500	33200	0.92	D	2750	3220	0.85	D	432	38177	33200	1.15	F
981	SR A1A	N of Sunrise Blvd	432	32000	33200	0.96	D	2880	3220	0.89	D	432	32970	33200	0.99	D
983	SR A1A	N of Oakland Pk Blvd	442	26000	28200	0.92	D	2340	2730	0.86	D	442	33385	28200	1.18	F
985	SR A1A	N of Flamingo Ave	242	23000	11900	1.93	F	2070	1150	1.80	F	242	27380	11900	2.30	F
987	SR A1A	N of Commercial Blvd	242	20500	11900	1.72	F	1850	1150	1.61	F	242	19846	11900	1.67	F
989	SR A1A	N of Pine Ave	232	18600	15200	1.22	F	1670	1480	1.13	F	232	24247	15200	1.60	F
991	SR A1A	N of Atlantic Blvd	222	12100	16500	0.73	C	1160	1600	0.72	C	222	15924	16500	0.97	D
993	SR A1A	N of NE 14 St	222	11400	16500	0.69	C	1030	1600	0.64	C	222	12993	16500	0.79	C
995	SR A1A	N of Hillsboro Inlet	212	13400	22200	0.60	C	1210	2080	0.58	C	212	14695	22200	0.66	C
997	SR A1A	N of Hillsboro Blvd	222	10800	16500	0.65	C	970	1600	0.61	C	222	11312	16500	0.69	C
1155	El Mar Dr	N of Palm Ave	464	2000	21580	0.09	C	180	2093	0.09	C	464	1853	21580	0.09	C