

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012					2035						
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions						
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS			
1118	Honey Hill Rd	E of SW 148 Ave	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	474	17131	35820	0.48	C			
1120	Honey Hill Rd	E of Flamingo Rd	264	10500	13320	0.79	D	998	1197	0.83	D	264	15839	13320	1.19	F			
2	Bass Crk Rd	E of SW 184 Ave	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	1803	29160	0.06	C			
1152	Bass Crk Rd	E of SW 172 Ave	264	7100	13320	0.53	D	675	1197	0.56	D	464	3234	29160	0.11	C			
4	Bass Crk Rd	E of Dykes Rd	264	5600	13320	0.42	C	532	1197	0.44	C	464	10696	29160	0.37	C			
6	County Line Rd	E of University Dr	422	28500	37810	r	0.75	C	2708	3401	r	0.80	C	422	25762	37810	r	0.68	C
8	County Line Rd	E of FTPK	422	31000	37810	r	0.82	C	2945	3401	r	0.87	C	422	23326	37810	r	0.62	C
10	County Line Rd	E of SR 7	264	16000	13320	1.20	F	1520	1197	1.27	F	264	15966	13320	1.20	F			
1046	County Line Rd	E of SW 48 Ave	464	7600	29160	0.26	C	722	2628	0.27	C	464	13793	29160	0.47	D			
12	County Line Rd	E of SW 40 Ave	264	7600	13320	0.57	D	722	1197	0.60	D	264	10019	13320	0.75	D			
1124	SW 11 St	E of I-95	264	800	13320	0.06	C	76	1197	0.06	C	264	3331	13320	0.25	C			
14	Miramar Pkwy	E of SW 196 Ave	474	3400	35820	0.09	C	323	3222	0.10	C	474	7006	35820	0.20	C			
18	Miramar Pkwy	E of SW 184 Ave	422	18000	37810	r	0.48	C	1710	3401	r	0.50	C	422	36737	37810	r	0.97	D
20	Miramar Pkwy	E of SW 172 Ave	622	44000	56905	r	0.77	C	4180	5121	r	0.82	C	622	44652	56905	r	0.78	C
22	Miramar Pkwy	E of SW 160 Ave	622	57500	56905	r	1.01	F	5463	5121	r	1.07	F	622	41440	56905	r	0.73	C
24	Miramar Pkwy	E of I-75	622	49000	59900	0.82	C	4655	5390	0.86	C	622	55918	59900	0.93	C			
26	Miramar Pkwy	E of SW 148 Ave	622	50000	59900	0.83	C	4750	5390	0.88	C	622	51948	59900	0.87	C			
28	Miramar Pkwy	E of SW 136 Ave	622	50000	59900	0.83	C	4750	5390	0.88	C	622	50947	59900	0.85	C			
30	Miramar Pkwy	E of Flamingo Rd	622	31500	59900	0.53	C	2993	5390	0.56	C	622	56660	59900	0.95	C			
32	Miramar Pkwy	E of Red Rd	622	35500	59900	0.59	C	3373	5390	0.63	C	622	48488	59900	0.81	C			
34	Miramar Pkwy	E of Palm Ave	422	37500	39800	0.94	C	3563	3580	0.99	D	422	37880	39800	0.95	C			
36	Miramar Pkwy	E of Douglas Rd	422	34000	39800	0.85	C	3230	3580	0.90	C	422	43278	39800	1.09	F			
38	Miramar Pkwy	E of University Dr	422	29000	39800	0.73	C	2755	3580	0.77	C	422	43416	39800	1.09	F			
40	Hndle Bch Blvd	E of SR 7	422	27500	39800	0.69	C	2613	3580	0.73	C	422	49929	39800	1.25	F			
42	Hndle Bch Blvd	E of I-95	622	66952	59900	1.12	F	6360	5390	1.18	F	622	74948	59900	1.25	F			
44	Hndle Bch Blvd	E of US 1	622	45000	59900	0.75	C	4275	5390	0.79	C	622	48788	49300	0.99	D			
46	Hndle Bch Blvd	E of Diplomat Pkwy	622	39500	59900	0.66	C	3753	5390	0.70	C	622	38146	59900	0.64	C			
1000	Monarch Lakes Blvd	N of Miramar Pkwy	464	5300	29160	0.18	C	504	2628	0.19	C	464	17766	29160	0.61	D			
1002	Miramar Blvd	E of Flamingo Rd	264	5200	13320	0.39	C	494	1197	0.41	C	264	5482	13320	0.41	C			
1004	Miramar Blvd	E of Red Rd	264	5200	13320	0.39	C	494	1197	0.41	C	264	4276	13320	0.32	C			
1006	Miramar Blvd	E of Hiatus Rd	264	5900	13320	0.44	C	561	1197	0.47	C	464	16385	29160	0.56	D			
50	Miramar Blvd	E of Palm Ave	464	32500	29160	1.11	F	3088	2628	1.17	F	464	22869	29160	0.78	D			
52	Miramar Blvd	E of Douglas Rd	264	8900	13320	0.67	D	846	1197	0.71	D	264	11212	13320	0.84	D			

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012					2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS	
56	Pembroke Rd	E of US 27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
58	Pembroke Rd	E of SW 196 Ave	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
60	Pembroke Rd	E of SW 184 Ave	264	7700	13320	0.58	D	732	1197	0.61	D	422	20444	37810	r	0.54	C
966	Pembroke Rd	E of SW 172 Ave	264	8700	13320	0.65	D	827	1197	0.69	D	422	27370	37810	r	0.72	C
1154	Pembroke Rd	E of SW 160 Ave	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	422	34625	37810	r	0.92	C
968	Pembroke Rd	E of SW 145 Ave	422	14000 e	37810 r	0.37	C	1330	3401 r	0.39	C	422	43149	37810	r	1.14	F
62	Pembroke Rd	E of SW 136 Ave	422	25000	37810 r	0.66	C	2375	3401 r	0.70	C	422	43932	37810	r	1.16	F
64	Pembroke Rd	E of Flamingo Rd	422	26500	39800	0.67	C	2518	3580	0.70	C	422	39550	39800		0.99	D
66	Pembroke Rd	E of Hiatus Rd	422	32000	39800	0.80	C	3040	3580	0.85	C	422	31208	39800		0.78	C
68	Pembroke Rd	E of Palm Ave	422	28500	39800	0.72	C	2708	3580	0.76	C	422	33142	39800		0.83	C
70	Pembroke Rd	E of Douglas Rd	422	32500	39800	0.82	C	3088	3580	0.86	C	622	54407	59900		0.91	C
72	Pembroke Rd	E of University Dr	622	37000	59900	0.62	C	3515	5390	0.65	C	622	51290	59900		0.86	C
74	Pembroke Rd	E of SW 68 Ave	422	42500	39800	1.07	F	4038	3580	1.13	F	622	49235	59900		0.82	C
1050	Pembroke Rd	E of SW 62 Ave	622	36500	59900	0.61	C	3468	5390	0.64	C	622	51220	59900		0.86	C
76	Pembroke Rd	E of SR 7	622	38000	59900	0.63	C	3610	5390	0.67	C	622	55694	59900		0.93	C
78	Pembroke Rd	E of I-95	432	30500	32400	0.94	D	2898	2920	0.99	D	432	49205	32400		1.52	F
80	NE 9 St	E of US 1	264	9200	13320	0.69	D	874	1197	0.73	D	264	9957	13320		0.75	D
1048	NE 9 St	E of Atlantic Shores Blvd	264	9200	13320	0.69	D	874	1197	0.73	D	264	9803	13320		0.74	D
1060	Moffett St	E of US 1	264	7500 e	13320	0.56	D	713	1197	0.59	D	264	12727	13320		0.96	D
82	Washington St	E of S 64 Ave	264	9600	13320	0.72	D	912	1197	0.76	D	264	8675	13320		0.65	D
84	Washington St	E of SR 7	464	9400	29160	0.32	C	893	2628	0.34	C	464	12084	29160		0.41	C
86	Washington St	E of S 56 Ave	264	9400	13320	0.71	D	893	1197	0.75	D	264	9898	13320		0.74	D
88	Washington St	E of S 28 Ave	264	4500	13320	0.34	C	428	1197	0.36	C	264	7650	13320		0.57	D
1116	Washington St	E of US 1	264	3200 e	13320	0.24	C	304	1197	0.25	C	264	5194	13320		0.39	C
90	Pines Blvd	E of US 27	422	14000	39800	0.35	C	1330	3580	0.37	C	422	32602	39800		0.82	C
92	Pines Blvd	E of SW 196 Ave	622	27000	59900	0.45	C	2565	5390	0.48	C	622	39471	59900		0.66	C
94	Pines Blvd	E of SW 184 Ave	622	39000	59900	0.65	C	3705	5390	0.69	C	622	31660	59900		0.53	C
96	Pines Blvd	E of SW 172 Ave	622	44500	59900	0.74	C	4228	5390	0.78	C	622	46588	59900		0.78	C
98	Pines Blvd	E of SW 160 Ave	622	70500	59900	1.18	F	6698	5390	1.24	F	622	60793	59900		1.01	F
100	Pines Blvd	E of I-75	822	81000	80100	1.01	F	7695	7210	1.07	F	822	71912	70500		1.02	F
102	Pines Blvd	E of SW 136 Ave	822	57500	80100	0.72	C	5463	7210	0.76	C	822	72831	70500		1.03	F
104	Pines Blvd	E of Flamingo Rd	622	47500	59900	0.79	C	4513	5390	0.84	C	622	66250	59900		1.11	F
106	Pines Blvd	E of Hiatus Rd	622	52000	59900	0.87	C	4940	5390	0.92	C	622	59249	59900		0.99	D

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
108	Pines Blvd	E of Palm Ave	622	49000	59900	0.82	C	4655	5390	0.86	C	622	67355	59900	1.12	F
110	Pines Blvd	E of Douglas Rd	622	51000	59900	0.85	C	4845	5390	0.90	C	622	63099	59900	1.05	F
112	Hollywood Blvd	E of University Dr	622	48000	59900	0.80	C	4560	5390	0.85	C	622	62633	59900	1.05	F
114	Hollywood Blvd	E of SW 72 Ave	622	43500	59900	0.73	C	4133	5390	0.77	C	622	59718	59900	1.00	D
116	Hollywood Blvd	E of Fla Turnpike	622	46000	59900	0.77	C	4370	5390	0.81	C	622	77904	59900	1.30	F
118	Hollywood Blvd	E of SR 7	632	36500	50000	0.73	D	3468	4500	0.77	D	632	61314	50000	1.23	F
120	Hollywood Blvd	E of Park Rd	632	47000	50000	0.94	D	4465	4500	0.99	D	632	68059	50000	1.36	F
122	Hollywood Blvd	E of I-95	432	54000	32400	1.67	F	5130	2920	1.76	F	432	56419	32400	1.74	F
1150	Hollywood Blvd	E of Dixie Hwy	264	11500	13320	0.86	D	1093	1197	0.91	D	264	15963	13320	1.20	F
124	Tyler/Harrison St	E of Dixie Hwy	264	6600	13320	0.50	D	627	1197	0.52	D	264	13383	13320	1.00	E
126	Hollywood Blvd	E of US 1	474	8600	35820	0.24	C	817	3222	0.25	C	474	15462	35820	0.43	C
1126	Johnson St	E of US 27	264	3700	13320	0.28	C	352	1197	0.29	C	264	6272	13320	0.47	C
128	Johnson St	E of Flamingo Rd	474	11000	35820	0.31	C	1045	3222	0.32	C	474	18817	35820	0.53	C
130	Johnson St	E of NW 103 Ave	474	11500	35820	0.32	C	1093	3222	0.34	C	474	20906	35820	0.58	C
132	Johnson St	E of Palm Ave	264	10600	13320	0.80	D	1007	1197	0.84	D	264	13239	13320	0.99	D
134	Johnson St	E of University Dr	264	13000	13320	0.98	D	1235	1197	1.03	E	264	13630	13320	1.02	E
136	Johnson St	E of N 64 Ave	264	13000	13320	0.98	D	1235	1197	1.03	E	264	13702	13320	1.03	E
138	Johnson St	E of SR 7	264	18500	13320	1.39	F	1758	1197	1.47	F	264	19579	13320	1.47	F
140	Johnson St	E of Park Rd	264	15500	13320	1.16	F	1473	1197	1.23	F	264	18864	13320	1.42	F
142	Johnson St	E of I-95	264	15000	13320	1.13	F	1425	1197	1.19	F	264	19084	13320	1.43	F
144	Johnson St	E of Dixie Hwy	264	9800	13320	0.74	D	931	1197	0.78	D	264	10218	13320	0.77	D
146	Johnson St	E of US 1	264	6000	13320	0.45	C	570	1197	0.48	C	264	6942	13320	0.52	D
1128	Taft St / NW 186th Ave	E of NW 196 Ave	264	5200	13320	0.39	C	494	1197	0.41	C	264	3484	13320	0.26	C
1010	Taft St	E of NW 142 Ave	464	13000	29160	0.45	C	1235	2628	0.47	D	464	12773	29160	0.44	C
148	Taft St	E of Flamingo Rd	474	14000	35820	0.39	C	1330	3222	0.41	C	474	23114	35820	0.65	C
150	Taft St	E of Palm Ave	474	16500	35820	0.46	C	1568	3222	0.49	C	474	32496	35820	0.91	C
152	Taft St	E of University Dr	474	22500	35820	0.63	C	2138	3222	0.66	C	474	29634	35820	0.83	C
154	Taft St	E of N 64 Ave	474	16500	35820	0.46	C	1568	3222	0.49	C	474	25742	35820	0.72	C
156	Taft St	E of SR 7	264	9800	13320	0.74	D	931	1197	0.78	D	264	8725	13320	0.65	D
158	Taft St	E of Park Rd	264	9500	13320	0.71	D	903	1197	0.75	D	264	16396	13320	1.23	F
160	Taft St	E of I-95	264	8400	13320	0.63	D	798	1197	0.67	D	264	15935	13320	1.20	F
162	Taft St	E of Dixie Hwy	264	6100	13320	0.46	C	580	1197	0.48	C	264	10371	13320	0.78	D
164	Taft St	E of US 1	264	2400	13320	0.18	C	228	1197	0.19	C	264	1483	13320	0.11	C

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035							
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions						
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS			
1130	W Park Rd	E of N 56 Ave	464	4500	29160	0.15	C	428	2628	0.16	C	464	8361	29160	0.29	C			
166	Sheridan St	E of US 27	222	4600	16815	r	0.27	C	437	1520	r	0.29	C	222	4298	16815	r	0.26	C
168	Sheridan St	E of SW 196 Ave	422	15000	37810	r	0.40	C	1425	3401	r	0.42	C	422	31560	37810	r	0.83	C
170	Sheridan St	E of SW 172 Ave	422	28000	37810	r	0.74	C	2660	3401	r	0.78	C	422	32964	37810	r	0.87	C
172	Sheridan St	E of SW 160 Ave	622	57000	56905	r	1.00	F	5415	5121	r	1.06	F	622	54898	56905	r	0.96	C
174	Sheridan St	E of I-75	622	44000	59900	0.73	C	4180	5390	0.78	C	622	54025	59900	0.90	C			
176	Sheridan St	E of SW 148 Ave	422	36500	39800	0.92	C	3468	3580	0.97	D	622	59502	59900	0.99	D			
178	Sheridan St	E of SW 136 Ave	422	36500	39800	0.92	C	3468	3580	0.97	D	622	56422	59900	0.94	C			
180	Sheridan St	E of Flamingo Rd	422	32000	39800	0.80	C	3040	3580	0.85	C	622	46561	59900	0.78	C			
182	Sheridan St	E of Hiatus Rd	422	23500	39800	0.59	C	2233	3580	0.62	C	622	50272	59900	0.84	C			
184	Sheridan St	E of Palm Ave	422	38000	39800	0.95	D	3610	3580	1.01	F	622	52084	59900	0.87	C			
186	Sheridan St	E of Douglas Rd	622	28500	59900	0.48	C	2708	5390	0.50	C	622	54780	59900	0.91	C			
188	Sheridan St	E of University Dr	622	28500	59900	0.48	C	2708	5390	0.50	C	622	45982	59900	0.77	C			
190	Sheridan St	E of SW 72 Ave	622	30000	59900	0.50	C	2850	5390	0.53	C	622	41656	59900	0.70	C			
192	Sheridan St	E of SW 64 Ave	632	35500	50000	0.71	D	3373	4500	0.75	D	632	44004	50000	0.88	D			
194	Sheridan St	E of SR 7	622	43500	59900	0.73	C	4133	5390	0.77	C	622	54560	59900	0.91	C			
196	Sheridan St	E of SW 46 Ave	622	50000	59900	0.83	C	4750	5390	0.88	C	622	58922	59900	0.98	D			
198	Sheridan St	E of Park Rd	622	48000	59900	0.80	C	4560	5390	0.85	C	622	60942	59900	1.02	F			
200	Sheridan St	E of I-95	622	41500	59900	0.69	C	3943	5390	0.73	C	622	57439	59900	0.96	C			
202	Sheridan St	E of SW 8/26 Ave	622	40000	59900	0.67	C	3800	5390	0.70	C	622	53163	59900	0.89	C			
204	Sheridan St	E of Dixie Hwy	422	28000	39800	0.70	C	2660	3580	0.74	C	622	38836	59900	0.65	C			
206	Sheridan St	E of US 1	422	23500	39800	0.59	C	2233	3580	0.62	C	422	35900	39800	0.90	C			
1012	Stirling Rd	E of US 27	264	1500	13320	0.11	C	143	1197	0.12	C	264	7012	13320	0.53	D			
208	Stirling Rd	E of SW 160 Ave	474	6400	35820	0.18	C	608	3222	0.19	C	474	11288	35820	0.32	C			
210	Stirling Rd	E of I-75	474	6400	35820	0.18	C	608	3222	0.19	C	474	11806	35820	0.33	C			
212	Stirling Rd	E of SW 148 Ave	264	5200	e	13320	0.39	C	494	1197	0.41	C	264	6182	13320	0.46	C		
214	Stirling Rd	E of SW 136 Ave	264	5200	e	13320	0.39	C	494	1197	0.41	C	264	9949	13320	0.75	D		
216	Stirling Rd	E of Flamingo Rd	422	23000	37810	r	0.61	C	2185	3401	r	0.64	C	422	19394	37810	r	0.51	C
218	Stirling Rd	E of Hiatus Rd	422	26500	37810	r	0.70	C	2518	3401	r	0.74	C	422	35115	37810	r	0.93	C
220	Stirling Rd	E of Palm Ave	422	31500	37810	r	0.83	C	2993	3401	r	0.88	C	422	29510	37810	r	0.78	C
222	Stirling Rd	E of Douglas Rd	422	27500	37810	r	0.73	C	2613	3401	r	0.77	C	422	35420	37810	r	0.94	C
224	Stirling Rd	E of University Dr	622	33500	59900	0.56	C	3183	5390	0.59	C	622	32052	59900	0.54	C			
226	Stirling Rd	E of Davie Rd	622	45500	59900	0.76	C	4323	5390	0.80	C	622	47448	59900	0.79	C			

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
228	Stirling Rd	E of N 64 Ave	622	41500	59900	0.69	C	3943	5390	0.73	C	622	40786	59900	0.68	C
230	Stirling Rd	E of SR 7	622	40000	59900	0.67	C	3800	5390	0.70	C	622	52539	59900	0.88	C
232	Stirling Rd	E of Park Rd	622	40000	59900	0.67	C	3800	5390	0.70	C	622	56785	59900	0.95	C
234	Stirling Rd	E of I-95	622	39000	59900	0.65	C	3705	5390	0.69	C	622	58551	59900	0.98	D
236	Dania Bch Blvd	E of US 1	422	20000	39800	0.50	C	1900	3580	0.53	C	422	26727	39800	0.67	C
238	Dania Bch Blvd	E of NE 2 Ave	622	15800	59900	0.26	C	1501	5390	0.28	C	622	18867	59900	0.31	C
240	Dania Bch Blvd	E of Gulfstream Rd	422	12300 e	39800	0.31	C	1169	3580	0.33	C	422	13206	39800	0.33	C
248	Old Griffin Rd	S of Griffin Rd	264	5200	13320	0.39	C	494	1197	0.41	C	264	7156	13320	0.54	D
250	Griffin Rd	E of US 27	222	4000	16815 r	0.24	C	380	1520 r	0.25	C	222	7564	16815 r	0.45	C
252	Griffin Rd	E of SW 184 Ave	422	18500	37810 r	0.49	C	1758	3401 r	0.52	C	422	27794	37810 r	0.74	C
254	Griffin Rd	E of SW 172 Ave	422	22500	37810 r	0.60	C	2138	3401 r	0.63	C	422	34429	37810 r	0.91	C
256	Griffin Rd	E of SW 160 Ave	422	41000	37810 r	1.08	F	3895	3401 r	1.14	F	422	51034	37810 r	1.35	F
258	Griffin Rd	E of I-75	622	26000	56905 r	0.46	C	2470	5121 r	0.48	C	622	41195	56905 r	0.72	C
260	Griffin Rd	E of SW 148 Ave	422	26000	37810 r	0.69	C	2470	3401 r	0.73	C	622	37567	56905 r	0.66	C
262	Griffin Rd	E of SW 136 Ave	422	26000	37810 r	0.69	C	2470	3401 r	0.73	C	622	33680	56905 r	0.59	C
264	Griffin Rd	E of Flamingo Rd	622	28000	59900	0.47	C	2660	5390	0.49	C	622	37994	59900	0.63	C
266	Griffin Rd	E of 118 Ave	622	28000	59900	0.47	C	2660	5390	0.49	C	622	40053	59900	0.67	C
268	Griffin Rd	E of Hiatus Rd	622	31700	59900	0.53	C	3012	5390	0.56	C	622	40044	59900	0.67	C
270	Griffin Rd	E of SW 100 Ave	622	35500	59900	0.59	C	3373	5390	0.63	C	622	36171	59900	0.60	C
272	Griffin Rd	E of SW 90 Ave	622	35500	59900	0.59	C	3373	5390	0.63	C	622	35766	59900	0.60	C
274	Griffin Rd	E of Pine Island Rd	622	27500	59900	0.46	C	2613	5390	0.48	C	622	41923	59900	0.70	C
276	Griffin Rd	E of University Dr	622	25533	59900	0.43	C	2426	5390	0.45	C	622	31445	59900	0.52	C
278	Griffin Rd	E of 76 Ave	622	25533	59900	0.43	C	2426	5390	0.45	C	622	32788	59900	0.55	C
280	Griffin Rd	E of Davie Rd	622	34000	59900	0.57	C	3230	5390	0.60	C	622	37835	59900	0.63	C
282	Griffin Rd	E of Fla Turnpike	622	32000	59900	0.53	C	3040	5390	0.56	C	622	35708	59900	0.60	C
284	Griffin Rd	E of SR 7	622	30000	59900	0.50	C	2850	5390	0.53	C	622	51481	59900	0.86	C
286	Griffin Rd	E of I-95	622	16800	59900	0.28	C	1596	5390	0.30	C	622	40561	59900	0.68	C
1014	SW 42 St	E of SW 30 Ave	264	3600	13320	0.27	C	342	1197	0.28	C	264	6086	13320	0.46	C
1016	SW 42 St	E of Ravenswood Rd	264	6800	13320	0.51	D	646	1197	0.54	D	264	11006	13320	0.83	D
308	Perimeter Rd	S of Lee Wagener Blvd	264	2700	13320	0.20	C	257	1197	0.21	C	264	12117	13320	0.91	D
310	Perimeter Rd	N of Lee Wagener Blvd	264	3900	13320	0.29	C	371	1197	0.31	C	264	8181	13320	0.61	D
312	SW 39 St	E of University Dr	264	5000	13320	0.38	C	475	1197	0.40	C	264	9031	13320	0.68	D
1018	SW 36 St	E of US 27	264	7500	13320	0.56	D	713	1197	0.59	D	264	2116	13320	0.16	C

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012				2012				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
314	South Post Rd	S of Saddle Club Rd	264	8400	13320	0.63	D	798	1197	0.67	D	264	5467	13320	0.41	C
316	South Post Rd	E of Bonaventure Blvd	274	9200	15930	0.58	C	874	1440	0.61	C	274	9054	15930	0.57	C
318	SW 36 St	E of Weston Rd	274	8500	15930	0.53	C	808	1440	0.56	C	274	8808	15930	0.55	C
1132	SW 36 Ct	E of SW 130 Ave	274	5900	15930	0.37	C	561	1440	0.39	C	274	8055	15930	0.51	C
322	SW 32 St	E of SW 26 Terr	264	230	13320	0.02	C	22	1197	0.02	C	264	1147	13320	0.09	C
324	Royal Palm Blvd	S of SR 84	422	12500	37810	r 0.33	C	1188	3401	r 0.35	C	422	17463	37810	r 0.46	C
326	Royal Palm Blvd	S of Saddle Club Rd	422	12400	37810	r 0.33	C	1178	3401	r 0.35	C	422	16580	37810	r 0.44	C
328	Royal Palm Blvd	E of Bonaventure Blvd	422	32000	37810	r 0.85	C	3040	3401	r 0.89	C	422	39795	37810	r 1.05	F
330	Royal Palm Blvd	E of Weston Rd	622	59000	56905	r 1.04	F	5605	5121	r 1.09	F	622	67087	56905	r 1.18	F
1020	SW 26 St	E of US 27	264	60 e	13320	0.00	N/A	6	1197	0.00	N/A	264	195	13320	0.01	C
334	SW 26 St	E of Flamingo Rd	264	4100	13320	0.31	C	390	1197	0.32	C	264	6222	13320	0.47	C
1022	SW 30 St	E of Pine Island Rd	264	7100	13320	0.53	D	675	1197	0.56	D	264	11210	13320	0.84	D
1024	SW 30 St	E of University Dr	264	11500	13320	0.86	D	1093	1197	0.91	D	264	9076	13320	0.68	D
336	Nova Dr	E of Pine Island Rd	264	8200	13320	0.62	D	779	1197	0.65	D	264	12926	13320	0.97	D
338	Nova Dr	E of University Dr	264	15100	13320	1.13	F	1435	1197	1.20	F	264	24829	13320	1.86	F
340	Indian Trace	S of SR 84	422	14500	37810	r 0.38	C	1378	3401	r 0.40	C	422	18380	37810	r 0.49	C
342	Indian Trace	S of Saddle Club Rd	422	11000	37810	r 0.29	C	1045	3401	r 0.31	C	422	16184	37810	r 0.43	C
344	Indian Trace	E of Bonaventure Blvd	422	20500	37810	r 0.54	C	1948	3401	r 0.57	C	422	29422	37810	r 0.78	C
346	Indian Trace	E of Weston Rd	274	14000	15930	0.88	C	1330	1440	0.92	C	274	17809	15930	1.12	F
348	SW 14 St	E of I-75	274	14000	15930	0.88	C	1330	1440	0.92	C	274	15648	15930	0.98	D
350	SW 14 St	E of SW 136 Ave	264	9700	13320	0.73	D	922	1197	0.77	D	264	9288	13320	0.70	D
354	Saddle Club Rd	E of South Post Rd	474	13500	35820	0.38	C	1283	3222	0.40	C	474	12720	35820	0.36	C
356	Saddle Club Rd	E of Royal Palm Blvd	474	13500	35820	0.38	C	1283	3222	0.40	C	474	14454	35820	0.40	C
358	Saddle Club Rd	E of Indian Trace	464	7000	29160	0.24	C	665	2628	0.25	C	464	6226	29160	0.21	C
360	Saddle Club Rd	E of Bonaventure Blvd	464	7700	29160	0.26	C	732	2628	0.28	C	464	6852	29160	0.23	C
1026	Airport Access Rd	W of US 1	463	26500	34992	0.76	D	2518	3154	0.80	D	463	72407	34992	2.07	F
362	SR 84	E of US 27	423	38400	47760	0.80	C	3648	4296	0.85	C	423	35684	47760	0.75	C
364	SR 84	E of Glades Pkwy	423	38400	47760	0.80	C	3648	4296	0.85	C	423	26300	47760	0.55	C
366	SR 84	E of Indian Trace	423	25400	47760	0.53	C	2413	4296	0.56	C	423	22572	47760	0.47	C
368	SR 84	E of Bonaventure Blvd	423	18500	47760	0.39	C	1758	4296	0.41	C	423	20498	47760	0.43	C
370	SR 84	E of Weston Rd	423	27000	47760	0.57	C	2565	4296	0.60	C	423	38184	47760	0.80	C
372	SR 84	E of Sawgrass Xway	423	33500	47760	0.70	C	3183	4296	0.74	C	423	12981	47760	0.27	C
374	SR 84	E of SW 136 Ave	423	44000	47760	0.92	C	4180	4296	0.97	D	423	54704	47760	1.15	F

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
376	SR 84	E of Flamingo Rd	423	35000	47760	0.73	C	3325	4296	0.77	C	423	77772	47760	1.63	F
378	SR 84	E of Hiatus Rd	423	23700	47760	0.50	C	2252	4296	0.52	C	423	49710	47760	1.04	F
380	SR 84	E of SW 100 Ave	423	26800	47760	0.56	C	2546	4296	0.59	C	423	72420	47760	1.52	F
382	SR 84	E of Pine Island Rd	423	28100	47760	0.59	C	2670	4296	0.62	C	423	66877	47760	1.40	F
384	SR 84	E of University Dr	423	26600	47760	0.56	C	2527	4296	0.59	C	423	48789	47760	1.02	F
1056	SR 84	E of Davie Rd	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	423	44174	47760	0.92	C
386	SR 84	E of SR 7	422	36500	39800	0.92	C	3468	3580	0.97	D	422	45832	39800	1.15	F
388	SR 84	E of SW 26 Terr	622	42500	59900	0.71	C	4038	5390	0.75	C	622	51709	59900	0.86	C
390	SR 84	E of I-95	822	59500	80100	0.74	C	5653	7210	0.78	C	822	63151	80100	0.79	C
392	SR 84	E of SW 9 Ave	622	44500	59900	0.74	C	4228	5390	0.78	C	622	51818	59900	0.87	C
394	Spangler Blvd	E of US 1	474	15900	35820	0.44	C	1511	3222	0.47	C	474	30104	35820	0.84	C
396	Eller Dr	E of Andrews Ave	264	5000 e	13320	0.38	C	475	1197	0.40	C	264	6296	13320	0.47	C
398	Eller Dr	E of SE 14 Ave	464	10300	29160	0.35	C	979	2628	0.37	C	464	24445	29160	0.84	D
970	Eller Dr	E of McIntosh Rd	464	11900	29160	0.41	C	1131	2628	0.43	C	464	26744	29160	0.92	D
400	I-595	E of Sawgrass Xway	621	129000	116600	1.11	E	12255	8840	1.39	F	1221	147005	256600	0.57	B
402	I-595	E of SW 136 Ave	621	129000	116600	1.11	E	12255	8840	1.39	F	1221	163635	256600	0.64	C
404	I-595	E of Flamingo Rd	621	167000	116600	1.43	F	15865	8840	1.79	F	1221	142417	256600	0.56	B
406	I-595	E of Hiatus Rd	621	152000	116600	1.30	F	14440	8840	1.63	F	1221	168936	256600	0.66	C
408	I-595	E of SW 100 Ave	621	156000	116600	1.34	F	14820	8840	1.68	F	1221	187956	256600	0.73	C
410	I-595	E of Pine Island Rd	621	176000	116600	1.51	F	16720	8840	1.89	F	1221	186778	256600	0.73	C
412	I-595	E of University Dr	821	184000	154300	1.19	F	17480	13390	1.31	F	1221	237837	256600	0.93	D
414	I-595	E of Davie Rd	821	206000	154300	1.34	F	19570	13390	1.46	F	1221	155336	256600	0.61	B
416	I-595	E of Fla Turnpike	621	184000	116600	1.58	F	17480	8840	1.98	F	1221	170580	256600	0.66	C
418	I-595	E of SR 7	821	184000	154300	1.19	F	17480	13390	1.31	F	1021	221134	194500	1.14	E
420	I-595	E of I-95	821	98500	154300	0.64	C	9358	13390	0.70	C	821	142076	154300	0.92	D
422	I-595	E of US 1	421	15400	77900	0.20	B	1463	6700	0.22	B	421	48705	77900	0.63	C
1064	SE 30 St	E of Andrews Ave	264	3100	13320	0.23	C	295	1197	0.25	C	264	4335	13320	0.33	C
424	SW 17 St	E of SW 9 Ave	264	3570	13320	0.27	C	339	1197	0.28	C	264	4191	13320	0.31	C
426	SE/SW 17 St	E of SW 4 Ave	432	12000	32400	0.37	C	1140	2920	0.39	C	422	17170	37810 r	0.45	C
428	SE 17 St	E of US 1	632	56500	50000	1.13	F	5368	4500	1.19	F	632	36604	50000	0.73	D
430	SE 17 St	E of Eisenhower Blvd	432	31500	32400	0.97	D	2993	2920	1.02	E	432	36362	32400	1.12	F
432	Peters Rd	E of Pine Island Rd	474	19000	35820	0.53	C	1805	3222	0.56	C	474	26284	35820	0.73	C
434	Peters Rd	E of University Dr	474	22000	35820	0.61	C	2090	3222	0.65	C	474	25930	35820	0.72	C

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012				2012				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
436	Davie Blvd	E of SR 7	422	30000	39800	0.75	C	2850	3580	0.80	C	422	35091	36500	0.96	D
438	Davie Blvd	E of SW 31 Ave	422	29000	39800	0.73	C	2755	3580	0.77	C	422	41840	36500	1.15	F
440	Davie Blvd	E of I-95	422	37000	39800	0.93	C	3515	3580	0.98	D	422	39348	39800	0.99	D
442	Davie Blvd	E of Andrews Ave	432	16900	32400	0.52	D	1606	2920	0.55	D	432	22805	32400	0.70	D
444	SE/SW 7 St	E of SW 4 Ave	264	2100	13320	0.16	C	200	1197	0.17	C	264	4575	13320	0.34	C
1134	SW 6 St	E of Pine Island Rd	464	3600	29160	0.12	C	342	2628	0.13	C	464	4641	29160	0.16	C
446	Las Olas Blvd	E of Andrews Ave	464	9700	29160	0.33	C	922	2628	0.35	C	464	20951	29160	0.72	D
448	Las Olas Blvd	E of US 1	464	16000	29160	0.55	D	1520	2628	0.58	D	464	22711	29160	0.78	D
450	Las Olas Blvd	E of SE 15 Ave	432	22000	32400	0.68	D	2090	2920	0.72	D	432	33906	32400	1.05	F
452	Las Olas Blvd	E of SE 21 Ave	432	20000	32400	0.62	D	1900	2920	0.65	D	432	20050	32400	0.62	D
454	SE/SW 2 St	E of SW 7 Ave	264	6300	13320	0.47	C	599	1197	0.50	D	264	7888	13320	0.59	D
456	Broward Blvd	E of SW 136 Ave	264	2400	13320	0.18	C	228	1197	0.19	C	264	12919	13320	0.97	D
458	Broward Blvd	E of Commodore Dr	264	2600	13320	0.20	C	247	1197	0.21	C	264	4797	13320	0.36	C
460	Broward Blvd	E of Flamingo Rd	422	17200 e	37810 r	0.45	C	1634	3401 r	0.48	C	422	26496	37810 r	0.70	C
462	Broward Blvd	E of Hiatus Rd	422	22000	37810 r	0.58	C	2090	3401 r	0.61	C	422	25597	37810 r	0.68	C
464	Broward Blvd	E of Nob Hill Rd	622	32000	56905 r	0.56	C	3040	5121 r	0.59	C	622	42122	56905 r	0.74	C
466	Broward Blvd	E of Pine Island Rd	622	38500	56905 r	0.68	C	3658	5121 r	0.71	C	622	38859	56905 r	0.68	C
468	Broward Blvd	E of University Dr	622	47500	59900	0.79	C	4513	5390	0.84	C	622	49779	59900	0.83	C
470	Broward Blvd	E of SR 7	622	42500	59900	0.71	C	4038	5390	0.75	C	622	62978	59900	1.05	F
472	Broward Blvd	E of SW 31 Ave	622	40500	59900	0.68	C	3848	5390	0.71	C	622	58054	59900	0.97	C
474	Broward Blvd	E of I-95	622	78000	59900	1.30	F	7410	5390	1.37	F	622	77625	59900	1.30	F
476	Broward Blvd	E of SW 11 Ave	622	56500	59900	0.94	C	5368	5390	1.00	D	622	56756	59900	0.95	C
478	Broward Blvd	E of SW 7 Ave-CBD	632	49000	50000	0.98	D	4655	4500	1.03	F	632	54281	50000	1.09	F
480	Broward Blvd	E of FEC RR Xing-CBD	632	33500	50000	0.67	D	3183	4500	0.71	D	632	47255	50000	0.95	D
482	Broward Blvd	E of US 1	464	20100	29160	0.69	D	1910	2628	0.73	D	464	20265	29160	0.69	D
484	Broward Blvd	E of NE 15 Ave	264	5500	13320	0.41	C	523	1197	0.44	C	264	7266	13320	0.55	D
1072	NW 2 St	E of NW 9 Ave	264	5900	13320	0.44	C	561	1197	0.47	C	264	7453	13320	0.56	D
1074	NE 2 St	E of Andrews Ave	264	5900	13320	0.44	C	561	1197	0.47	C	264	8408	13320	0.63	D
486	NE/NW 4 St	E of NW 9 Ave	264	2900	13320	0.22	C	276	1197	0.23	C	264	4193	13320	0.31	C
488	NW 6 St	E of NW 31 Ave	464	9600	29160	0.33	C	912	2628	0.35	C	464	19100	29160	0.65	D
490	NW 6 St	E of NW 27 Ave	464	14000	29160	0.48	D	1330	2628	0.51	D	464	30167	29160	1.03	E
492	NE 6 St	E of Andrews Ave	264	4700	13320	0.35	C	447	1197	0.37	C	264	6305	13320	0.47	C
494	NE 6 St	E of US 1	264	4300	13320	0.32	C	409	1197	0.34	C	264	5586	13320	0.42	C

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
496	NW 5 St	E of University Dr	264	15000	13320	1.13	F	1425	1197	1.19	F	264	18780	13320	1.41	F
1136	NW 8 St	E of Sawgrass Xway	464	5500	29160	0.19	C	523	2628	0.20	C	464	6436	29160	0.22	C
498	NW 8 St	E of NW 136 Ave	264	8000	13320	0.60	D	760	1197	0.63	D	264	9830	13320	0.74	D
1028	Cleary Blvd	E of Hiatus Rd	274	9300	15930	0.58	C	884	1440	0.61	C	274	8149	15930	0.51	C
502	Cleary Blvd	E of Nob Hill Rd	474	13000	35820	0.36	C	1235	3222	0.38	C	474	13803	35820	0.39	C
504	Cleary Blvd	E of Pine Island Rd	474	15500	35820	0.43	C	1473	3222	0.46	C	474	18313	35820	0.51	C
506	Sunrise Blvd	E of Sawgrass Xway	622	41000	59900	0.68	C	3895	5390	0.72	C	622	46536	59900	0.78	C
508	Sunrise Blvd	E of SW 136 Ave	622	37500	59900	0.63	C	3563	5390	0.66	C	622	46250	59900	0.77	C
510	Sunrise Blvd	E of Flamingo Rd	622	32500	59900	0.54	C	3088	5390	0.57	C	622	55804	59900	0.93	C
512	Sunrise Blvd	E of Hiatus Rd	622	35000	59900	0.58	C	3325	5390	0.62	C	622	46612	59900	0.78	C
514	Sunrise Blvd	E of Nob Hill Rd	622	32000	59900	0.53	C	3040	5390	0.56	C	622	44259	59900	0.74	C
516	Sunrise Blvd	E of Pine Island Rd	622	36500	59900	0.61	C	3468	5390	0.64	C	622	47090	59900	0.79	C
518	Sunrise Blvd	E of University Dr	622	40500	59900	0.68	C	3848	5390	0.71	C	622	53889	59900	0.90	C
520	Sunrise Blvd	E of NW 65 Ave	622	44000	59900	0.73	C	4180	5390	0.78	C	622	80979	59900	1.35	F
522	Sunrise Blvd	E of Fla Turnpike	622	53000	59900	0.88	C	5035	5390	0.93	C	622	73314	59900	1.22	F
524	Sunrise Blvd	E of SR 7	622	57000	59900	0.95	C	5415	5390	1.00	F	622	61068	59900	1.02	F
526	Sunrise Blvd	E of NW 31 Ave	622	55000	59900	0.92	C	5225	5390	0.97	C	622	63627	59900	1.06	F
528	Sunrise Blvd	E of I-95	622	63000	59900	1.05	F	5985	5390	1.11	F	622	70437	59900	1.18	F
530	Sunrise Blvd	E of NW 9 Ave	622	59000	59900	0.98	D	5605	5390	1.04	F	622	35334	59900	0.59	C
532	Sunrise Blvd	E of NW 7 Ave	622	50625 e	59900	0.85	C	4809	5390	0.89	C	622	49536	59900	0.83	C
534	Sunrise Blvd	E of Andrews Ave	622	42500	59900	0.71	C	4038	5390	0.75	C	622	43952	59900	0.73	C
536	Sunrise Blvd	E of Searstown	632	55000	50000	1.10	F	5225	4500	1.16	F	632	65574	50000	1.31	F
538	Sunrise Blvd	E of US 1 (Gateway)	632	45000	50000	0.90	D	4275	4500	0.95	D	632	32877	50000	0.66	D
540	Sunrise Blvd	E of Bayview Dr	632	25000	50000	0.50	D	2375	4500	0.53	D	632	32384	50000	0.65	D
542	NW 13 St	E of NW 9 Ave	474	13500	35820	0.38	C	1283	3222	0.40	C	474	20232	35820	0.56	C
544	NE 13 St	E of Andrews Ave	474	13000	35820	0.36	C	1235	3222	0.38	C	474	23061	35820	0.64	C
546	NE 13 St	E of NE 3 Ave	474	12500	35820	0.35	C	1188	3222	0.37	C	474	21653	35820	0.60	C
548	NE 13 St	E of NE 15 Ave	474	9100	35820	0.25	C	865	3222	0.27	C	474	17334	35820	0.48	C
1138	NW 16 St	E of NW 27 Ave	264	1200	13320	0.09	C	114	1197	0.09	C	264	1923	13320	0.14	C
1084	NW 16 St	E of Powerline Rd	264	7500 e	13320	0.56	D	713	1197	0.59	D	264	5593	13320	0.42	C
1086	NE 16 St	E of Andrews Ave	264	6000	13320	0.45	C	570	1197	0.48	C	264	5985	13320	0.45	C
552	Sunset Strip	E of Nob Hill Rd	464	9200	29160	0.32	C	874	2628	0.33	C	464	12075	29160	0.41	C
554	Sunset Strip	E of Pine Island Rd	464	11000	29160	0.38	C	1045	2628	0.40	C	464	12948	29160	0.44	C

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012				2012				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
556	Sunset Strip	E of University Dr	464	18100	29160	0.62	D	1720	2628	0.65	D	464	20355	29160	0.70	D
558	Sunset Strip	S of NW 64 Ave	464	21000	29160	0.72	D	1995	2628	0.76	D	464	26047	29160	0.89	D
560	NW 19 St	E of NW 64 Ave	464	11500	29160	0.39	C	1093	2628	0.42	C	464	11842	29160	0.41	C
564	NW 19 St	E of NW 49 Ave	264	9150 e	13320	0.69	D	869	1197	0.73	D	264	14674	13320	1.10	F
566	NW 19 St	E of SR 7	464	23500	29160	0.81	D	2233	2628	0.85	D	464	28453	29160	0.98	D
568	NW 19 St	E of NW 31 Ave	464	22500	29160	0.77	D	2138	2628	0.81	D	464	30514	29160	1.05	F
572	NW 26 St	E of NW 47 Ave	264	8200	13320	0.62	D	779	1197	0.65	D	264	10338	13320	0.78	D
1092	NW 26 St	E of NW 31 Ave	264	4000	13320	0.30	C	380	1197	0.32	C	264	4135	13320	0.31	C
574	NE 26 St	E of Andrews Ave	264	7600	13320	0.57	D	722	1197	0.60	D	264	8033	13320	0.60	D
576	NE 26 St	E of Dixie Hwy	464	20000	29160	0.69	D	1900	2628	0.72	D	464	21311	29160	0.73	D
578	NE 26 St	E of US 1	264	6500	13320	0.49	C	618	1197	0.52	D	264	9205	13320	0.69	D
580	Sunrise Lks Blvd	E of NW 115 Ter	264	5900	13320	0.44	C	561	1197	0.47	C	264	7586	13320	0.57	D
582	Sunrise Lks Blvd	E of Nob Hill Rd	464	3800	29160	0.13	C	361	2628	0.14	C	464	5657	29160	0.19	C
584	Sunrise Lks Blvd	E of Pine Island Rd	464	2700	29160	0.09	C	257	2628	0.10	C	464	6677	29160	0.23	C
586	Oakland Pk Blvd	E of Sawgrass Xway	622	40000	59900	0.67	C	3800	5390	0.70	C	622	22076	59900	0.37	C
588	Oakland Pk Blvd	E of NW 120 Way	622	46000	59900	0.77	C	4370	5390	0.81	C	622	44244	59900	0.74	C
590	Oakland Pk Blvd	E of Hiatus Rd	622	35500	59900	0.59	C	3373	5390	0.63	C	622	54772	59900	0.91	C
592	Oakland Pk Blvd	E of Nob Hill Rd	622	44000	59900	0.73	C	4180	5390	0.78	C	622	49985	59900	0.83	C
594	Oakland Pk Blvd	E of Pine Island Rd	622	42500	59900	0.71	C	4038	5390	0.75	C	622	49000	59900	0.82	C
596	Oakland Pk Blvd	E of University Dr	622	47500	59900	0.79	C	4513	5390	0.84	C	622	62350	59900	1.04	F
598	Oakland Pk Blvd	E of Inverrary Blvd	622	80500	59900	1.34	F	7648	5390	1.42	F	622	71402	59900	1.19	F
600	Oakland Pk Blvd	E of SR 7	622	66500	59900	1.11	F	6318	5390	1.17	F	622	65122	59900	1.09	F
602	Oakland Pk Blvd	E of SW 31 Ave	622	51500	59900	0.86	C	4893	5390	0.91	C	622	70522	59900	1.18	F
604	Oakland Pk Blvd	E of I-95	632	68000	50000	1.36	F	6460	4500	1.44	F	632	72793	50000	1.46	F
606	Oakland Pk Blvd	E of Andrews Ave	632	50500	50000	1.01	E	4798	4500	1.07	F	632	52815	50000	1.06	F
608	Oakland Pk Blvd	E of US 1	632	34000	50000	0.68	D	3230	4500	0.72	D	632	38670	50000	0.77	D
610	Oakland Pk Blvd	E of Bayview Dr	432	31500	32400	0.97	D	2993	2920	1.02	E	432	36794	32400	1.14	F
612	NW 38 St	E of NW 31 Ave	264	4300	13320	0.32	C	409	1197	0.34	C	264	7165	13320	0.54	D
614	Nw 38 St	E of NW 21 Ave	264	5800 e	13320	0.44	C	551	1197	0.46	C	264	8271	13320	0.62	D
616	NE/NW 38 St	E of Powerline Rd	264	7300	13320	0.55	D	694	1197	0.58	D	264	7197	13320	0.54	D
618	NE 38 St	E of Dixie Hwy	264	5000	13320	0.38	C	475	1197	0.40	C	264	7892	13320	0.59	D
1044	NW 44 St	E 115 Ter	264	6900	13320	0.52	D	656	1197	0.55	D	264	12152	13320	0.91	D
1052	NW 44 St	E of Welleby Park	464	6900	29160	0.24	C	656	2628	0.25	C	464	13562	29160	0.47	D

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012				2012				2035								
			Design Code	Daily Conditions			Peak Hour Conditions				Code	Daily Conditions							
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS			
620	NW 44 St	E of Hiatus Rd	474	9000	35820	0.25	C	855	3222	0.27	C	474	12524	35820	0.35	C			
622	NW 44 St	E of Nob Hill Rd	474	9300	35820	0.26	C	884	3222	0.27	C	474	20166	35820	0.56	C			
624	NW 44 St	E of Pine Island Rd	464	14000	29160	0.48	D	1330	2628	0.51	D	464	19698	29160	0.68	D			
626	NW 44 St	E of West Inverrary Blvd	364	15500	13986	1.11	F	1473	1257	1.17	F	364	16446	13986	1.18	F			
1142	NW 44 St	E of NW 31 Ave	264	5300	13320	0.40	C	504	1197	0.42	C	264	6238	13320	0.47	C			
1140	Springtree Lake Dr	E of Nob Hill Rd	464	3100	29160	0.11	C	295	2628	0.11	C	464	9262	29160	0.32	C			
628	Prospect Rd	E of SR 7	474	14000	35820	0.39	C	1330	3222	0.41	C	474	23036	35820	0.64	C			
630	Prospect Rd	E of NW 31 Ave	264	10500	13320	0.79	D	998	1197	0.83	D	264	15597	13320	1.17	F			
632	Prospect Rd	S of Commercial Blvd	422	14500	37810	r	0.38	C	1378	3401	r	0.40	C	422	34392	37810	r	0.91	C
634	Prospect Rd	E of Powerline Rd	632	25500	50000	0.51	D	2423	4500	0.54	D	632	33568	50000	0.67	D			
636	Prospect Rd	E of Andrews Ave	632	20500	50000	0.41	C	1948	4500	0.43	C	632	29677	50000	0.59	D			
638	Floranada Rd	E of Dixie Hwy	264	9600	13320	0.72	D	912	1197	0.76	D	264	11385	13320	0.85	D			
640	Commercial Blvd	E of Sawgrass Xway	622	29000	59900	0.48	C	2755	5390	0.51	C	622	45184	59900	0.75	C			
642	Commercial Blvd	E of Nob Hill Rd	622	42000	59900	0.70	C	3990	5390	0.74	C	622	57763	59900	0.96	C			
644	Commercial Blvd	E of Pine Island Rd	622	38500	59900	0.64	C	3658	5390	0.68	C	622	67435	59900	1.13	F			
646	Commercial Blvd	E of University Dr	622	50000	59900	0.83	C	4750	5390	0.88	C	622	66591	59900	1.11	F			
648	Commercial Blvd	E of SW 81 Ave	622	55000	e	59900	0.92	C	5225	5390	0.97	C	622	57344	59900	0.96	C		
650	Commercial Blvd	E of Rock Island Rd	622	70000	59900	1.17	F	6650	5390	1.23	F	622	83029	59900	1.39	F			
652	Commercial Blvd	E of Fla Turnpike	622	53500	59900	0.89	C	5083	5390	0.94	C	622	68493	59900	1.14	F			
654	Commercial Blvd	E of SR 7	622	54000	59900	0.90	C	5130	5390	0.95	C	622	64995	59900	1.09	F			
656	Commercial Blvd	E of SW 31 Ave	622	44000	59900	0.73	C	4180	5390	0.78	C	622	54255	59900	0.91	C			
658	Commercial Blvd	E of NW 21 Ave	622	52500	59900	0.88	C	4988	5390	0.93	C	622	72901	59900	1.22	F			
660	Commercial Blvd	E of I-95	622	64000	59900	1.07	F	6080	5390	1.13	F	622	70370	59900	1.17	F			
662	Commercial Blvd	E of Dixie Hwy	632	53500	50000	1.07	F	5083	4500	1.13	F	632	66272	50000	1.33	F			
664	Commercial Blvd	E of US 1	632	38500	50000	0.77	D	3658	4500	0.81	D	632	36245	50000	0.72	D			
666	Commercial Blvd	E of Bayview Dr	432	36500	32400	1.13	F	3468	2920	1.19	F	432	35294	32400	1.09	F			
668	NE 56 St	E of Andrews Ave	264	4500	13320	0.34	C	428	1197	0.36	C	264	5483	13320	0.41	C			
670	NE 56 St	E of Dixie Hwy	264	8700	13320	0.65	D	827	1197	0.69	D	264	10119	13320	0.76	D			
1032	NW 57 St	E of NW 96 Ave	264	2800	13320	0.21	C	266	1197	0.22	C	264	3845	13320	0.29	C			
1034	NW 57 St	E of Pine Island Rd	264	4300	13320	0.32	C	409	1197	0.34	C	264	5496	13320	0.41	C			
1036	NW 57 St	E of University Dr	264	4300	13320	0.32	C	409	1197	0.34	C	264	11488	13320	0.86	D			
672	Bailey Rd	E of SW 81 Ave	264	10500	13320	0.79	D	998	1197	0.83	D	464	24868	29160	0.85	D			
1054	Bailey Rd	E of The Common	464	10500	29160	0.36	C	998	2628	0.38	C	464	22668	29160	0.78	D			

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012				2012				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
674	Bailey Rd	E of Sabel Palm Blvd	264	12000	13320	0.90	D	1140	1197	0.95	D	464	28692	29160	0.98	D
1144	Lagos De Campo Blvd	E of Pine Island Rd	464	3500	29160	0.12	C	333	2628	0.13	C	464	5356	29160	0.18	C
676	McNab Rd	E of Hiatus Rd	274	9300	15930	0.58	C	884	1440	0.61	C	274	9771	15930	0.61	C
678	McNab Rd	E of NW 104 Ave	474	9300 e	35820	0.26	C	884	3222	0.27	C	474	18956	35820	0.53	C
680	McNab Rd	E of Nob Hill Rd	422	20000	37810 r	0.53	C	1900	3401 r	0.56	C	422	33764	37810 r	0.89	C
682	McNab Rd	E of Pine Island Rd	622	35500	56905 r	0.62	C	3373	5121 r	0.66	C	622	39435	56905 r	0.69	C
684	McNab Rd	E of University Dr	622	43000	59900	0.72	C	4085	5390	0.76	C	622	51455	59900	0.86	C
686	McNab Rd	E of SW 81 Ave	622	42500	59900	0.71	C	4038	5390	0.75	C	622	49635	59900	0.83	C
688	McNab Rd	E of Rock Island Rd	622	38000	59900	0.63	C	3610	5390	0.67	C	622	51051	59900	0.85	C
690	Cypress Crk Rd/	E of SR 7	622	44000	59900	0.73	C	4180	5390	0.78	C	622	64480	59900	1.08	F
692	NW 62 St	E of SW 31 Ave	622	38000	59900	0.63	C	3610	5390	0.67	C	622	58772	59900	0.98	D
694	NW 62 St	E of Powerline Rd	822	43000 e	80100	0.54	C	4085	7210	0.57	C	822	56540	80100	0.71	C
696	NE 62 St	E of Andrews Ave	822	49500	80100	0.62	C	4703	7210	0.65	C	822	54926	80100	0.69	C
698	NE 62 St	E of I-95	622	38000	56905 r	0.67	C	3610	5121 r	0.70	C	622	40777	56905 r	0.72	C
700	NE 62 St	E of NE 6 Ave	622	38000	56905 r	0.67	C	3610	5121 r	0.70	C	622	31484	56905 r	0.55	C
702	NE 62 St	E of Dixie Hwy	332	23000	15540	1.48	F	2185	1397	1.56	F	332	27949	15540	1.80	F
704	NE 62 St	E of NE 18 Ave	264	15700	13320	1.18	F	1492	1197	1.25	F	264	17222	13320	1.29	F
706	McNab Rd	E of SW 31 Ave	422	16500	37810 r	0.44	C	1568	3401 r	0.46	C	422	34161	37810 r	0.90	C
708	McNab Rd	E of Powerline Rd	622	15500	56905 r	0.27	C	1473	5121 r	0.29	C	622	16087	56905 r	0.28	C
710	McNab Rd	E of Military Trail	622	9900	56905 r	0.17	C	941	5121 r	0.18	C	622	20137	56905 r	0.35	C
712	McNab Rd /SE 15 St	E of NE 18 Ave	264	15000	13320	1.13	F	1425	1197	1.19	F	264	12441	13320	0.93	D
716	NW 77 St	E of Nob Hill Rd	464	6300	29160	0.22	C	599	2628	0.23	C	464	7951	29160	0.27	C
718	NW 81 St	E of Nob Hill Rd	464	2900	29160	0.10	C	276	2628	0.10	C	464	4428	29160	0.15	C
720	NW 81 St	E of Pine Island Rd	464	4600	29160	0.16	C	437	2628	0.17	C	464	5820	29160	0.20	C
722	NW 82 St	E of NW 80 Ave	464	3900	29160	0.13	C	371	2628	0.14	C	464	8656	29160	0.30	C
724	Kimberly Blvd	E of SW 81 Ave	464	12500	29160	0.43	C	1188	2628	0.45	D	464	12410	29160	0.43	C
726	Kimberly Blvd	E of Rock Island Rd	464	9600	29160	0.33	C	912	2628	0.35	C	464	9478	29160	0.33	C
734	Pompano Pk Pl	E of Powerline Rd	474	13800	35820	0.39	C	1311	3222	0.41	C	474	16963	35820	0.47	C
736	Pompano Pk Pl	E of Andrews Ave	674	13500	53910	0.25	C	1283	4851	0.26	C	674	23721	53910	0.44	C
738	Pompano Pk Pl	E of Dixie Hwy	464	6300	29160	0.22	C	599	2628	0.23	C	464	13991	29160	0.48	D
740	Southgate Blvd	E of Sawgrass Xway	474	3150	35820	0.09	C	299	3222	0.09	C	464	3700	29160	0.13	C
742	Southgate Blvd	E of Coral Ridge Dr	474	8825 e	35820	0.25	C	838	3222	0.26	C	474	17237	35820	0.48	C
744	Southgate Blvd	E of Coral Sprgs Dr	474	14500	35820	0.40	C	1378	3222	0.43	C	474	20042	35820	0.56	C

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
746	Southgate Blvd	E of University Dr	474	24000	35820	0.67	C	2280	3222	0.71	C	474	33862	35820	0.95	C
748	Southgate Blvd	E of SW 81 Ave	474	29000	35820	0.81	C	2755	3222	0.85	C	474	35436	35820	0.99	D
750	Southgate Blvd	E of Rock Island Rd	474	19000	35820	0.53	C	1805	3222	0.56	C	474	23042	35820	0.64	C
752	Riverside Dr	S of Atlantic Blvd	222	5600	16815 r	0.33	C	532	1520 r	0.35	C	222	6688	16815 r	0.40	C
754	Riverside Dr	E of Coral Sprgs Dr	222	10500	16815 r	0.62	C	998	1520 r	0.66	C	222	10785	16815 r	0.64	C
756	Riverside Dr	E of University Dr	422	15500 e	37810 r	0.41	C	1473	3401 r	0.43	C	422	15550	37810 r	0.41	C
758	Riverside Dr	N of Atlantic Blvd	422	20500	37810 r	0.54	C	1948	3401 r	0.57	C	422	27553	37810 r	0.73	C
760	Riverside Dr	N of Ramblewood Dr	422	26000	37810 r	0.69	C	2470	3401 r	0.73	C	422	28938	37810 r	0.77	C
762	Riverside Dr	N of Royal Palm Blvd	422	17500	37810 r	0.46	C	1663	3401 r	0.49	C	422	24021	37810 r	0.64	C
764	Riverside Dr	N of Sample Rd	422	23500	37810 r	0.62	C	2233	3401 r	0.66	C	422	25558	37810 r	0.68	C
766	Riverside Dr	N of Wiles Rd	422	13000	37810 r	0.34	C	1235	3401 r	0.36	C	422	22485	37810 r	0.59	C
768	Riverside Dr	N of Sawgrass Xway	464	6700	29160	0.23	C	637	2628	0.24	C	464	13484	29160	0.46	D
770	Atlantic Blvd	E of Sawgrass Xway	422	19000	39800	0.48	C	1805	3580	0.50	C	422	33429	39800	0.84	C
772	Atlantic Blvd	E of Coral Ridge Dr	422	26500	39800	0.67	C	2518	3580	0.70	C	422	33514	39800	0.84	C
774	Atlantic Blvd	E of Coral Sprgs Dr	622	34500	59900	0.58	C	3278	5390	0.61	C	622	44484	59900	0.74	C
776	Atlantic Blvd	E of University Dr	622	30000	59900	0.50	C	2850	5390	0.53	C	622	36952	59900	0.62	C
778	Atlantic Blvd	E of Riverside Dr	622	36500	59900	0.61	C	3468	5390	0.64	C	622	48079	59900	0.80	C
780	Atlantic Blvd	E of Rock Island Rd	632	42500	50000	0.85	D	4038	4500	0.90	D	632	57988	50000	1.16	F
782	Atlantic Blvd	E of SR 7	622	43000	59900	0.72	C	4085	5390	0.76	C	622	64461	59900	1.08	F
784	Atlantic Blvd	E of Lyons Rd	622	50000	59900	0.83	C	4750	5390	0.88	C	622	56228	59900	0.94	C
786	Atlantic Blvd	E of Fla Turnpike	622	47571	59900	0.79	C	4519	5390	0.84	C	622	61275	59900	1.02	F
788	Atlantic Blvd	E of Powerline Rd	622	54000	59900	0.90	C	5130	5390	0.95	C	622	77943	59900	1.30	F
790	Atlantic Blvd	E of I-95	622	63500	59900	1.06	F	6033	5390	1.12	F	622	72437	59900	1.21	F
792	Atlantic Blvd	E of Dixie Hwy	632	42500	50000	0.85	D	4038	4500	0.90	D	632	63751	50000	1.28	F
794	Atlantic Blvd	E of NE 18 Ave	432	35500	32400	1.10	F	3373	2920	1.15	F	632	68562	50000	1.37	F
796	Atlantic Blvd	E of US 1	432	23500	32400	0.73	D	2233	2920	0.76	D	432	32793	32400	1.01	E
798	Lakeview Dr	N of Atlantic Blvd	464	7700	29160	0.26	C	732	2628	0.28	C	464	9205	29160	0.32	C
800	Lakeview Dr	E of Coral Ridge Dr	464	5800	29160	0.20	C	551	2628	0.21	C	464	10131	29160	0.35	C
802	Ramblewood Dr	E of Coral Springs Dr	464	7200	29160	0.25	C	684	2628	0.26	C	464	13210	29160	0.45	D
804	Ramblewood Dr	E of University Dr	464	12000	29160	0.41	C	1140	2628	0.43	C	464	11898	29160	0.41	C
806	Ramblewood Dr	E of Riverside Dr	264	5900	13320	0.44	C	561	1197	0.47	C	264	5453	13320	0.41	C
1100	Margate Blvd	E of NW 80 Ave	464	5300	29160	0.18	C	504	2628	0.19	C	464	5113	29160	0.18	C
810	Margate Blvd	E of Rock Island Rd	464	8200	29160	0.28	C	779	2628	0.30	C	464	8684	29160	0.30	C

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012				2012				2035					
			Design Code	Daily Conditions			Peak Hour Conditions				Design Code	Daily Conditions				
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C		LOS	Volume	Capacity	V/C	LOS
1148	NW 18 St / NW 80 Ave	E of Margate Blvd	264	2700	13320	0.20	C	257	1197	0.21	C	264	3602	13320	0.27	C
812	Coconut Crk Pkwy	E of SR 7	432	24500	32400	0.76	D	2328	2920	0.80	D	432	31854	32400	0.98	D
814	Coconut Crk Pkwy	E of Lyons Rd	432	28500	32400	0.88	D	2708	2920	0.93	D	432	33516	32400	1.03	E
816	Hammondville Rd	E of NW 31 Ave--FTPK	432	13000	32400	0.40	C	1235	2920	0.42	C	432	39992	32400	1.23	F
818	Hammondville Rd	E of Powerline Rd	432	16500	32400	0.51	D	1568	2920	0.54	D	432	30191	32400	0.93	D
820	Hammondville Rd	E of I-95	432	25500	32400	0.79	D	2423	2920	0.83	D	432	14069	32400	0.43	C
824	NE 10 St	E of NW 6 Ave	264	8500	13320	0.64	D	808	1197	0.67	D	264	9150	13320	0.69	D
1146	NE 10 St	E of US 1	264	3100	13320	0.23	C	295	1197	0.25	C	264	2890	13320	0.22	C
826	NW 15 St	E of Powerline Rd	264	7600	13320	0.57	D	722	1197	0.60	D	264	9558	13320	0.72	D
828	NE 14 St	E of US 1	432	17450	32400	0.54	D	1658	2920	0.57	D	432	20278	32400	0.63	D
830	Royal Palm Blvd	E of NW 123 Ave	474	8500	35820	0.24	C	808	3222	0.25	C	474	11403	35820	0.32	C
832	Royal Palm Blvd	E of Coral Ridge Dr	422	17000	37810 r	0.45	C	1615	3401 r	0.47	C	422	21486	37810 r	0.57	C
834	Royal Palm Blvd	E of Coral Sprgs Dr	422	25000	37810 r	0.66	C	2375	3401 r	0.70	C	422	29504	37810 r	0.78	C
836	Royal Palm Blvd	E of University Dr	422	23500	37810 r	0.62	C	2233	3401 r	0.66	C	422	36292	37810 r	0.96	D
838	Royal Palm Blvd	E of Riverside Dr	422	34500	37810 r	0.91	C	3278	3401 r	0.96	D	422	37632	37810 r	1.00	D
840	Royal Palm Blvd	E of Rock Island Rd	422	21000	37810 r	0.56	C	1995	3401 r	0.59	C	422	34128	37810 r	0.90	C
842	Copans Rd	E of SR 7	422	28500	37810 r	0.75	C	2708	3401 r	0.80	C	422	32735	37810 r	0.87	C
844	Copans Rd	E of Lyons Rd	422	28500	37810 r	0.75	C	2708	3401 r	0.80	C	422	38212	37810 r	1.01	F
846	Copans Rd	E of Blount Rd	622	32500	56905 r	0.57	C	3088	5121 r	0.60	C	622	47761	56905 r	0.84	C
848	Copans Rd	E of Powerline Rd	622	44000	56905 r	0.77	C	4180	5121 r	0.82	C	622	42638	56905 r	0.75	C
850	Copans Rd	E of Military Trail	622	53000	56905 r	0.93	C	5035	5121 r	0.98	D	622	60081	56905 r	1.06	F
852	Copans Rd	E of I-95	622	41000	56905 r	0.72	C	3895	5121 r	0.76	C	622	54410	56905 r	0.96	C
854	Copans Rd	E of Dixie Hwy	622	23000	56905 r	0.40	C	2185	5121 r	0.43	C	622	42503	56905 r	0.75	C
1106	NW 29 St	E of Coral Sprgs Dr	264	6100	13320	0.46	C	580	1197	0.48	C	264	6719	13320	0.50	D
1108	NE 33 St (pomp)	E of NE 3 Ave	264	15000	13320	1.13	F	1425	1197	1.19	F	264	13672	13320	1.03	E
856	Sample Rd	E of Sawgrass Xway	622	18000	59900	0.30	C	1710	5390	0.32	C	622	30608	59900	0.51	C
858	Sample Rd	E of Coral Ridge Dr	622	35500	59900	0.59	C	3373	5390	0.63	C	622	44892	59900	0.75	C
860	Sample Rd	E of Coral Sprgs Dr	622	37000	59900	0.62	C	3515	5390	0.65	C	622	48592	59900	0.81	C
862	Sample Rd	E of University Dr	622	35000	59900	0.58	C	3325	5390	0.62	C	622	42129	56100	0.75	C
864	Sample Rd	E of Riverside Dr	622	43500	59900	0.73	C	4133	5390	0.77	C	622	53681	56100	0.96	C
866	Sample Rd	E of Rock Island Rd	622	45000	59900	0.75	C	4275	5390	0.79	C	622	48150	56100	0.86	C
868	Sample Rd	E of SR 7	622	60000	59900	1.00	F	5700	5390	1.06	F	622	64729	53500	1.21	F
870	Sample Rd	E of Lyons Rd	622	53500	59900	0.89	C	5083	5390	0.94	C	622	61726	53500	1.15	F

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
872	Sample Rd	E of Fla Turnpike	622	52500	59900	0.88	C	4988	5390	0.93	C	622	72316	53500	1.35	F
874	Sample Rd	E of Powerline Rd	622	44141	59900	0.74	C	4193	5390	0.78	C	622	61363	59900	1.02	F
876	Sample Rd	E of Military Trail	622	52500	59900	0.88	C	4988	5390	0.93	C	622	71175	59900	1.19	F
878	Sample Rd	E of I-95	622	50000	59900	0.83	C	4750	5390	0.88	C	622	57607	59900	0.96	C
880	Sample Rd	E of Dixie Hwy	622	35250	59900	0.59	C	3349	5390	0.62	C	622	39879	59900	0.67	C
882	Sample Rd	E of US 1	474	12800	35820	0.36	C	1216	3222	0.38	C	474	16356	35820	0.46	C
884	NE 39 St	E of US 1	264	6100	13320	0.46	C	580	1197	0.48	C	264	9325	13320	0.70	D
886	NW 40 St	E of University Dr	264	4000	13320	0.30	C	380	1197	0.32	C	264	6806	13320	0.51	D
890	Wiles Rd	E of Coral Ridge Dr	422	19900 e	37810 r	0.53	C	1891	3401 r	0.56	C	422	24855	39500 r	0.63	C
892	Wiles Rd	E of Coral Sprgs Dr	422	22500	37810 r	0.60	C	2138	3401 r	0.63	C	422	30123	39500 r	0.76	C
894	Wiles Rd	E of University Dr	422	30000	37810 r	0.79	C	2850	3401 r	0.84	C	422	41484	37810 r	1.10	F
896	Wiles Rd	E of Riverside Dr	422	38500	37810 r	1.02	F	3658	3401 r	1.08	F	422	48342	37810 r	1.28	F
898	Wiles Rd	E of Rock Island Rd	422	39000	37810 r	1.03	F	3705	3401 r	1.09	F	622	54263	56905 r	0.95	C
900	Wiles Rd	E of SR 7	422	23000	37810 r	0.61	C	2185	3401 r	0.64	C	422	25184	37810 r	0.67	C
902	Wiles Rd	E of Lyons Rd	422	23500	37810 r	0.62	C	2233	3401 r	0.66	C	422	38037	37810 r	1.01	F
904	Wiles Rd	E of Fla Turnpike	422	21000	37810 r	0.56	C	1995	3401 r	0.59	C	422	38170	37810 r	1.01	F
906	NW 48 St	E of Powerline Rd	422	18500	37810 r	0.49	C	1758	3401 r	0.52	C	422	27939	37810 r	0.74	C
908	NW 48 St	E of Military Trail	422	18500	37810 r	0.49	C	1758	3401 r	0.52	C	422	38464	37810 r	1.02	F
910	NE 48 St	E of I-95	422	14000	37810 r	0.37	C	1330	3401 r	0.39	C	422	27987	37810 r	0.74	C
912	NE 48 St	E of Dixie Hwy	232	10500	14800	0.71	D	998	1330	0.75	D	232	14292	14800	0.97	D
914	NE 48 St	E of US 1	264	4100	13320	0.31	C	390	1197	0.32	C	264	3864	13320	0.29	C
916	NE 54/SE/SW15 St	E of Natura Blvd	264	3700	13320	0.28	C	352	1197	0.29	C	264	4838	13320	0.36	C
1038	Westview Dr	E of Coral Ridge Dr	464	9300	29160	0.32	C	884	2628	0.34	C	464	15618	29160	0.54	D
918	Westview Dr	E of Coral Sprgs Dr	464	12600	29160	0.43	C	1197	2628	0.46	D	464	14264	29160	0.49	D
920	Westview Dr	E of University Dr	464	9000	29160	0.31	C	855	2628	0.32	C	464	19914	29160	0.68	D
922	SW 10 St	E of Fla Turnpike	622	33000	59900	0.55	C	3135	5390	0.58	C	622	60372	59900	1.01	F
924	SW 10 St	E of Powerline Rd	622	40000	59900	0.67	C	3800	5390	0.70	C	622	57129	59900	0.95	C
926	SE 10 St	E of Military Trail	622	48500	59900	0.81	C	4608	5390	0.85	C	622	64466	59900	1.08	F
928	SE 10 St	E of I-95	622	26500	56905 r	0.47	C	2518	5121 r	0.49	C	622	30085	56905 r	0.53	C
930	SE 10 St	E of Dixie Hwy	432	19800	32400	0.61	D	1881	2920	0.64	D	432	20958	32400	0.65	D
932	SE 10 St	E of US 1	264	6700	13320	0.50	D	637	1197	0.53	D	264	6526	13320	0.49	C
1042	Holmberg Rd	E of Coral Ridge Dr	264	7000	13320	0.53	D	665	1197	0.55	D	264	8165	13320	0.61	D
934	Holmberg Rd	E of Coral Springs Dr	464	9300	29160	0.32	C	884	2628	0.34	C	464	15041	29160	0.52	D

e - estimated traffic volumes; capacity - maximum LOS "D" service volume, not actual capacity; r - maximum LOS "D" service volume reduced by 5%

APPENDIX B: East / West Roadways Capacity and Level of Service Analysis 2012 & 2035

ID	E/W Roadway	Segment	2012					2012				2035				
			Design Code	Daily Conditions				Peak Hour Conditions				Code	Daily Conditions			
				AADT	Capacity	V/C	LOS	Volume	Capacity	V/C	LOS		Volume	Capacity	V/C	LOS
936	Holmberg Rd	E of University Dr	264	10700	13320	0.80	D	1017	1197	0.85	D	264	6212	13320	0.47	C
938	Holmberg Rd	E of Riverside Dr	264	17500	13320	1.31	F	1663	1197	1.39	F	264	15376	13320	1.15	F
1040	Johnson Rd	E of SR 7	264	9500	13320	0.71	D	903	1197	0.75	D	464	23810	29160	0.82	D
940	County Line Rd	E of Coral Sprgs Dr	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	3099	29160	0.11	C
942	County Line Rd	E of University Dr	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	10716	29160	0.37	C
944	Hillsboro Blvd	S of Loxahatchee Rd	464	9000	29160	0.31	C	855	2628	0.32	C	464	10945	29160	0.38	C
946	Hillsboro Blvd	E of SR 7	622	26000	59900	0.43	C	2470	5390	0.46	C	622	29491	59900	0.49	C
948	Hillsboro Blvd	E of Lyons Rd	622	37500	59900	0.63	C	3563	5390	0.66	C	622	47238	59900	0.79	C
950	Hillsboro Blvd	E of Powerline Rd	622	40500	59900	0.68	C	3848	5390	0.71	C	622	49283	59900	0.82	C
952	Hillsboro Blvd	E of Military Trail	622	48500	59900	0.81	C	4608	5390	0.85	C	622	56102	59900	0.94	C
954	Hillsboro Blvd	E of I-95	622	55500	59900	0.93	C	5273	5390	0.98	D	622	67830	59900	1.13	F
956	Hillsboro Blvd	E of Dixie Hwy	632	36500	50000	0.73	D	3468	4500	0.77	D	632	29748	50000	0.59	D
958	Hillsboro Blvd	E of US 1	432	26500	32400	0.82	D	2518	2920	0.86	D	432	26987	32400	0.83	D
1114	NW/NE 2 St (Deerfield B	E of SW 3 Ave	264	5800	13320	0.44	C	551	1197	0.46	C	264	4083	13320	0.31	C
960	Trailsend Rd	E of Coral Ridge Dr	464	2100	29160	0.07	C	200	2628	0.08	C	464	11623	29160	0.40	C
962	Trailsend Rd	E of Coral Sprgs Dr	464	2100	29160	0.07	C	200	2628	0.08	C	464	13713	29160	0.47	D
1156	Loxahatchee Rd	E of Levee 36	274	3700	15930	0.23	C	352	1440	0.24	C	274	16721	15930	1.05	F
964	Loxahatchee Rd	E of Hillsboro Blvd	274	3700	15930	0.23	C	352	1440	0.24	C	274	16721	15930	1.05	F